References

A. Ibrahim, Y., H.M. Elwahy, A., & A. Abbas, A. (1994). New synthesis of macrocyclic crown-formazans from pyruvic acid derivatives. *Tetrahedron*, *50*(39), 11489–11498. https://doi.org/https://doi.org/10.1016/S0040-4020(01)89286-3

Abraham, E. P. (1963). The Antibiotics. *Comprehensive Biochemistry*, *11*(4), 181–224. https://doi.org/10.1016/B978-1-4831-9711-1.50022-3

Akinaga, H., & Shima, H. (2010). Resistive random access memory (ReRAM) based on metal oxides. *Proceedings of the IEEE*, *98*(12), 2237–2251. https://doi.org/10.1109/JPROC.2010.2070830

Al-Allaf, T. A. K., Rashan, L. J., Stelzner, A., & Powell, D. R. (2003). Organotin(IV) complexes with various donor ligands and their cytotoxicity against tumour cell lines. Part(I): R2SnCl2 with Schiff bases; unusual C=N bond cleavage of the bases and X-ray structures of the ionic products formed. *Applied Organometallic Chemistry*, *17*(12), 891–897. https://doi.org/10.1002/aoc.545

Albela, B., Bothe, E., Brosch, O., Mochizuki, K., Weyhermüiler, T., & Wieghardt, K. (1999). Redox chemistry of (1,4,7-tris(4-tert-butyl-2-mercaptobenzyl)-1,4,7-triazacyclononane) ruthenium(III), [RuIIIL]: synthesis and characterization of [Ru2II(L-L)](BPh4)4·10CH 3CN and [LRuRuRuL](PF6)2·H2O. *Inorganic Chemistry*, *38*(22), 5131–5138. https://doi.org/10.1021/ic9906297

Albrecht, T., Guckian, A., Kuznetsov, A. M., Vos, J. G., & Ulstrup, J. (2006). Mechanism of electrochemical charge transport in individual transition metal complexes. *Journal of the American Chemical Society*, *128*(51), 17132–17138. https://doi.org/10.1021/ja066213r

Al-Doori, L. A., Irzoqi, A. A., Jirjes, H. M., AL-Obaidi, A. H., & Alheety, M. A. (2022). Zn(II)-isatin-3-thiosemicarbazone complexes with phosphines or diamines for hydrogen storage and anticancer studies. *Inorganic Chemistry Communications*, *140*(March), 1–7. https://doi.org/10.1016/j.inoche.2022.109454

Alheety, M. A., Al-Jibori, S. A., Mahmood, A. R., Chaurasiya, P. K., Karadag, A., Verma, T. N., & Tiwari, D. (2023). A cheap and high yield route for synthesis of 3H-1, 2-benzodithiol-3-thione for hydrogen storage applications. *International Journal of Hydrogen Energy*, *48*(23), 8549–8562. https://doi.org/10.1016/j.ijhydene.2022.11.226

Al-Jibori, S. A., Al-Doori, L. A., Al-Janabi, A. S. M., Alheety, M. A., Akbaş, H., & Karadag, A. (2020). Novel Hg(II) and Pd(II) benzotriazole (Hbta) complexes: Synthesis, characterization, X-ray crystal structure of [Pd(PPh3)(μ-bta)Cl]2. DMSO and thermodynamic study of their H2 storage. *Journal of Molecular Structure*, *1207*. https://doi.org/10.1016/j.molstruc.2020.127832

Al-Jibori, S. A., Salih, N. A., Al-Janabi, A. S. M., & Alheety, M. A. (2020). Synthesis, characterization and H2uptake of novel Hg(II) complexes containing 1,4-benzothiazin-3-one. *Materials Today: Proceedings*, *43*, 875–882. https://doi.org/10.1016/j.matpr.2020.07.091

Allawi, A. H., Alheety, M. A., & Mohammed, M. Y. (2022). Ultrasound assisted synthesis of attapulgite-PdO nanocomposite using palladium complex for hydrogen storage: Kinetic studies. *Inorganic Chemistry Communications*, *143*(July), 109787. https://doi.org/10.1016/j.inoche.2022.109787

Allouche, A. (2012). Software News and Updates Gabedit — A Graphical User Interface for Computational Chemistry Softwares. *Journal of Computational Chemistry*, *32*, 174–182. https://doi.org/10.1002/jcc

Arita, M., Takahashi, A., Ohno, Y., Nakane, A., Tsurumaki-Fukuchi, A., & Takahashi, Y. (2015). Switching operation and degradation of resistive random access memory composed of tungsten oxide and copper investigated using in-situ TEM. *Scientific Reports*, *5*(November), 1–9. https://doi.org/10.1038/srep17103

Article, E., Hou, X., Xiao, X., Zhou, Q., Cheng, X., He, J., & Xu, Q. (2017). *Chemical Science memory with a high device yield and improved*. 2344–2351. https://doi.org/10.1039/c6sc03986c

Asay, M., Jones, C., & Driess, M. (2011). N-heterocyclic carbene analogues with low-valent group 13 and group 14 elements: Syntheses, structures, and reactivities of a new generation of multitalented ligands. *Chemical Reviews*, *111*(2), 354–396. https://doi.org/10.1021/cr100216y

Au, V. K. M., Wu, D., & Yam, V. W. W. (2015). Organic Memory Devices Based on a Bis-Cyclometalated Alkynylgold(III) Complex. *Journal of the American Chemical Society*, *137*(14), 4654–4657. https://doi.org/10.1021/jacs.5b02113

Avent, A. G., Hitchcock, P. B., Khvostov, A. V., Lappert, M. F., & Protchenko, A. V. (2004). Reactions of Li- and Yb-coordinated N, N′-bis(trimethylsilyl)-β-diketiminates: One- and two-electron reductions, deprotonation, and C–N bond cleavage. *Journal of the Chemical Society. Dalton Transactions*, *4*(15), 2272–2280. https://doi.org/10.1039/b405554c

Avogadro: an open-source molecular builder and visualization tool. Version 1.2.0 http://avogadro.cc/. (n.d.).

Balt, S., Meuldijk, J., & Renkema, W. E. (1980). *R /, ---- \ /0. 43*, 173–178.

Balt, S., & Renkema, W. E. (1977). Kinetics of complex formation between 1-(2-hydroxyphenyl)-3,5-diphenylformazan and ammineaquacopper(II) complexes. *Inorganica Chimica Acta*, *22*(C), 161–168. https://doi.org/10.1016/S0020-1693(00)90914-9

Bandyopadhyay, A., Sahu, S., & Higuchi, M. (2011a). Tuning of nonvolatile bipolar memristive switching in Co(III) polymer with an extended Azo aromatic ligand. *Journal of the American Chemical Society*, *133*(5), 1168–1171. https://doi.org/10.1021/ja106945v

Barbon, S. M., Novoa, S., Bender, D., Groom, H., Luyt, L. G., & Gilroy, J. B. (2017a). Copper-assisted azide-alkyne cycloaddition chemistry as a tool for the production of emissive boron difluoride 3-cyanoformazanates. *Organic Chemistry Frontiers*, *4*(2), 178–190. https://doi.org/10.1039/c6qo00640j

Barbon, S. M., Price, J. T., Reinkeluers, P. A., & Gilroy, J. B. (2014a). Substituent-dependent optical and electrochemical properties of triarylformazanate boron difluoride complexes. *Inorganic Chemistry*, *53*(19), 10585–10593. https://doi.org/10.1021/ic5016912

Barbon, S. M., Staroverov, V. N., & Gilroy, J. B. (2015). Effect of Extended π Conjugation on the Spectroscopic and Electrochemical Properties of Boron Difluoride Formazanate Complexes. *Journal of Organic Chemistry*, *80*(10), 5226–5235. https://doi.org/10.1021/acs.joc.5b00620

Barltrop, J. A., Owen, T. C., Cory, A. H., & Cory, J. G. (1991). 5-(3-carboxymethoxyphenyl)-2-(4,5-dimethylthiazolyl)-3-(4-sulfophenyl)tetrazolium, inner salt (MTS) and related analogs of 3-(4,5-dimethylthiazolyl)-2,5-diphenyltetrazolium bromide (MTT) reducing to purple water-soluble formazans As cell-viability indicators. *Bioorganic & Medicinal Chemistry Letters*, *1*(11), 611–614. https://doi.org/https://doi.org/10.1016/S0960-894X(01)81162-8

Barman, B. K., Khatua, M., Goswami, B., Samanta, S., & Vijayaraghavan, R. K. (2021). Irreversible Resistive State Switching in Devices with a Homoleptic Cobalt(II) Complex Active Layer. *Chemistry - An Asian Journal*, *16*(12), 1545–1552. https://doi.org/10.1002/asia.202100152

Barone, V., & Cossi, M. (1998). Conductor Solvent Model. *Journal of Physical Chemistry A*, *102*(97), 1995–2001.

Bayazeed, A., Alenazi, N. A., Alsaedi, A. M. R., Ibrahim, M. H., Al-Qurashi, N. T., & Farghaly, T. A. (2022). Formazan analogous: Synthesis, antimicrobial activity, dihydrofolate reductase inhibitors and docking study. *Journal of Molecular Structure*, *1258*. https://doi.org/10.1016/j.molstruc.2022.132653

Beck, A., Bednorz, J. G., Gerber, C., Rossel, C., & Widmer, D. (2000). Reproducible switching effect in thin oxide films for memory applications. *Applied Physics Letters*, *77*(1), 139–141. https://doi.org/10.1063/1.126902

Behera, S., Mohanty, P., Behura, R., Nath, B., Barick, A. K., & Jali, B. R. (2022). Antibacterial properties of quinoline derivatives: A mini-review. *Biointerface Research in Applied Chemistry*, *12*(5), 6078–6092. https://doi.org/10.33263/BRIAC125.60786092

Bhardwaj, S. D. (1998). Synthesis, anti-cancer and anti-HIV activities of some new formazans. *Asian Journal of Chemistry*, *10*(1), 39.

Bhardwaj, S. D., & Jolly, V. S. (1997). Synthesis, Anti-HIV and Anticancer Activities of Some New Formazans. In *Asian Journal of Chemistry* (Vol. 9, Issue 1, pp. 48–51).

Bhosale, J. D., Shirolkar, A. R., Pete, U. D., Zade, C. M., Mahajan, D. P., Hadole, C. D., Pawar, S. D., Patil, U. D., Dabur, R., & Bendre, R. S. (2013). Synthesis, characterization and biological activities of novel substituted formazans of 3,4-dimethyl-1H-pyrrole-2-carbohydrazide derivatives. *Journal of Pharmacy Research*, *7*(7), 582–587. https://doi.org/10.1016/j.jopr.2013.07.022

Bilyachenko, A. N., Korlyukov, A. A., Vologzhanina, A. V., Khrustalev, V. N., Kulakova, A. N., Long, J., Larionova, J., Guari, Y., Dronova, M. S., Tsareva, U. S., Dorovatovskii, P. V., Shubina, E. S., & Levitsky, M. M. (2017). Tuning linkage isomerism and magnetic properties of bi- and tri-metallic cage silsesquioxanes by cation and solvent effects. *Dalton Transactions*, *46*(38), 12935–12949. https://doi.org/10.1039/c7dt02017a

Birara, S., Betal, A., Lama, P., Sahu, S., & Metre, R. K. (2023a). WORM type memory device based on ionic organotin complex using. *Journal of Molecular Structure*, *1287*, 135708. https://doi.org/10.1016/j.molstruc.2023.135708

Birara, S., Saini, S., Majumder, M., Lama, P., Tiwari, S. P., & Metre, R. K. (2023). Design and Synthesis of Solution-Processed Redox-Active Bis(Formazanate) Zinc Complex for Resistive Switching Applications. *Dalton Transactions*. https://doi.org/10.1039/d3dt02809g

Blackmore, K. J., Ziller, J. W., & Heyduk, A. F. (2005). "Oxidative addition" to a zirconium(IV) redox-active ligand complex. *Inorganic Chemistry*, *44*(16), 5559–5561. https://doi.org/10.1021/ic050997c

Borowski, T., Bassan, A., & Siegbahn, P. E. M. (2004a). 4-Hydroxyphenylpyruvate dioxygenase: A hybrid density functional study of the catalytic reaction mechanism. *Biochemistry*, *43*(38), 12331–12342. https://doi.org/10.1021/bi049503y

Borowski, T., & Siegbahn, P. E. M. (2006). Mechanism for catechol ring cleavage by non-heme iron intradiol dioxygenases: A hybrid DFT study. *Journal of the American Chemical Society*, *128*(39), 12941–12953. https://doi.org/10.1021/ja0641251

Bourget-merle, L., Lappert, M. F., & Severn, J. R. (2002). *The Chemistry of -Diketiminatometal Complexes*. *Ii*.

Bourget-Merle, L., Lappert, M. F., & Severn, J. R. (2002). The chemistry of β-diketiminatometal complexes. *Chemical Reviews*, *102*(9), 3031–3065. https://doi.org/10.1021/cr010424r

Boyer, J. L., Cundari, T. R., Deyonker, N. J., Rauchfuss, T. B., & Wilson, S. R. (2009). Redox activation of alkene ligands in platinum complexes with non-innocent ligands. *Inorganic Chemistry*, *48*(2), 638–645. https://doi.org/10.1021/ic8017248

Briand, G. G. (2023). Redox-active ligands - a viable route to reactive main group metal compounds. In *Dalton Transactions* (Vol. 52, Issue 47, pp. 17666–17678). Royal Society of Chemistry. https://doi.org/10.1039/d3dt03100d

Broere, D. L. J., Mercado, B. Q., Lukens, J. T., Vilbert, A. C., Banerjee, G., Lant, H. M. C., Lee, S. H., Bill, E., Sproules, S., Lancaster, K. M., & Holland, P. L. (2018a). Reversible Ligand-Centered Reduction in Low-Coordinate Iron Formazanate Complexes. *Chemistry - A European Journal*, *24*(37), 9417–9425. https://doi.org/10.1002/chem.201801298

Broere, D. L. J., Plessius, R., & Van Der Vlugt, J. I. (2015a). New avenues for ligand-mediated processes-expanding metal reactivity by the use of redox-active catechol, o-aminophenol and o-phenylenediamine ligands. *Chemical Society Reviews*, *44*(19), 6886–6915. https://doi.org/10.1039/c5cs00161g

Brown, D. A., Bögge, H., Lipunova, G. N., Müller, A., Plass, W., & Walsh, K. G. (1998). Iron and manganese complexes of benzothiazolylformazans. *Inorganica Chimica Acta*, *280*(1–2), 30–38. https://doi.org/10.1016/s0020-1693(98)00050-4

Buguis, F. L., Boyle, P. D., & Gilroy, J. B. (2022a). Benzothiazole-substituted boron difluoride formazanate dyes. *Dyes and Pigments*, *198*(November 2021), 110002. https://doi.org/10.1016/j.dyepig.2021.110002

Burke-Laing, M., & Laing, M. (1976). Structures of nitrogen-containing aromatic compounds. III. Benzalazine, redetermination and refinement. *Acta Crystallographica Section B Structural Crystallography and Crystal Chemistry*, *32*(12), 3216–3224. https://doi.org/10.1107/s0567740876009989

Bustin, D. I., Earley, J. E., Petridis, D., Dusan Bustin, B. I., Earley, J. E., & Petridis, D. (1953). Redox Catalysis of the Formation of Cr(C204)2(H20)2 from Cr(C204)(H20)4+ in the Vicinity of the Dropping-Mercury Electrode1 The polarographic limiting diffusion current for the one-electron reduction of Cr(C204)(H20)4 + is lowered by the presence of oxalate in solution. A mechanism involving formation of Cr(C204)2(H20)2-by. In *J. Electroanal. Chem* (Vol. 75, Issue 4). https://pubs.acs.org/sharingguidelines

Bxjdesinsky, B. W., & Svec, J. (1971a). Hydrogen and Metal Complexes of Some 3-Cyanoformazans. *Inorganic Chemistry*, *10*(2), 313–317. https://doi.org/10.1021/ic50096a019

Casas, J. S., Castiñeiras, A., Couce, M. D., Martinez, G., Sordo, J., & Varela, J. M. (1996). The crystal structure of the salts [Hthiamine] [SnMe2(H2O)Cl3]Cl and [Hthiamine][SnPh2Cl4]H2O: Competition between water and chloride for coordination to diorganotin dihalides. *Journal of Organometallic Chemistry*, *517*(1–2), 165–172. https://doi.org/10.1016/0022-328X(96)06190-6

Chan, A. K. W., Ng, M., Wong, Y. C., Chan, M. Y., Wong, W. T., & Yam, V. W. W. (2017a). Synthesis and Characterization of Luminescent Cyclometalated Platinum(II) Complexes with Tunable Emissive Colors and Studies of Their Application in Organic Memories and Organic Light-Emitting Devices. *Journal of the American Chemical Society*, *139*(31), 10750–10761. https://doi.org/10.1021/jacs.7b04952

Chang, M. C., Chantzis, A., Jacquemin, D., & Otten, E. (2016). Boron difluorides with formazanate ligands: Redox-switchable fluorescent dyes with large stokes shifts. *Dalton Transactions*, *45*(23), 9477–9484. https://doi.org/10.1039/c6dt01226d

Chang, M. C., Dann, T., Day, D. P., Lutz, M., Wildgoose, G. G., & Otten, E. (2014). The formazanate ligand as an electron reservoir: Bis(formazanate) zinc complexes isolated in three redox states. *Angewandte Chemie - International Edition*, *53*(16), 4118–4122. https://doi.org/10.1002/anie.201309948

Chang, M. C., & Otten, E. (2014). Synthesis and ligand-based reduction chemistry of boron difluoride complexes with redox-active formazanate ligands. *Chemical Communications*, *50*(56), 7431–7433. https://doi.org/10.1039/c4cc03244f

Chang, M. C., Roewen, P., Travieso-Puente, R., Lutz, M., & Otten, E. (2015a). Formazanate ligands as structurally versatile, redox-active analogues of β-diketiminates in zinc chemistry. *Inorganic Chemistry*, *54*(1), 379–388. https://doi.org/10.1021/ic5025873

Chemistry A European J - 2013 - Yamada - A Robust One-Compartment Fuel Cell with a Polynuclear Cyanide Complex as a Cathode.pdf. (n.d.).

Chen, L., Xu, Y., Sun, Q. Q., Liu, H., Gu, J. J., Ding, S. J., & Zhang, D. W. (2010). Highly uniform bipolar resistive switching with Al2}O 3 buffer layer in robust NbAlO-based RRAM. *IEEE Electron Device Letters*, *31*(4), 356–358. https://doi.org/10.1109/LED.2010.2041183

Cheng, X. F., Hou, X., Qian, W. H., He, J. H., Xu, Q. F., Li, H., Li, N. J., Chen, D. Y., & Lu, J. M. (2017). Poly(3,4-ethylenedioxythiophene)-Poly(styrenesulfonate) Interlayer Insertion Enables Organic Quaternary Memory. *ACS Applied Materials and Interfaces*, *9*(33), 27847–27852. https://doi.org/10.1021/acsami.7b06810

Cheng, X. F., Xia, S. G., Hou, X., Xiao, X., He, J. H., Ren, Z. G., Xu, Q. F., Li, H., Li, N. J., Chen, D. Y., & Lu, J. M. (2017). Racemic Effect on the Performance of Organic Multilevel Memory: Beyond Molecular Design. *Advanced Materials Technologies*, *2*(11), 1–6. https://doi.org/10.1002/admt.201700202

Chirik, P. J. (2011). Preface: Forum on redox-active ligands. In *Inorganic Chemistry* (Vol. 50, Issue 20, pp. 9737–9740). https://doi.org/10.1021/ic201881k

Cho, B., Song, S., Ji, Y., Kim, T. W., & Lee, T. (2011). Organic resistive memory devices: Performance enhancement, integration, and advanced architectures. *Advanced Functional Materials*, *21*(15), 2806–2829. https://doi.org/10.1002/adfm.201100686

Choi, S., Hong, S. H., Cho, S. H., Park, S., Park, S. M., Kim, O., & Ree, M. (2008). High-performance programmable memory devices based on hyperbranched copper phthalocyanine polymer thin films. *Advanced Materials*, *20*(9), 1766–1771. https://doi.org/10.1002/adma.200702147

Chou, K.-M., & Cheng, Y.-C. (2002). An exonucleolytic activity of human apurinic/apyrimidinic endonuclease on 3′ mispaired DNA. *Nature*, *415*(6872), 655–659. https://doi.org/10.1038/415655a

Chu, C. W., Ouyang, J., Tseng, J. H., & Yang, Y. (2005). Organic donor-acceptor system exhibiting electrical bistability for use in memory devices. *Advanced Materials*, *17*(11), 1440–1443. https://doi.org/10.1002/adma.200500225

Coste, S. C., Pearson, T. J., & Freedman, D. E. (2019). Magnetic Anisotropy in Heterobimetallic Complexes. *Inorganic Chemistry*, *58*(18), 11893–11902. https://doi.org/10.1021/acs.inorgchem.9b01459

Das, B., Samanta, M., Sarkar, P., Ghorai, U. K., Mallik, A., & Chattopadhyay, K. K. (2021). Copper (II) Phthalocyanine (CuPc) Based Optoelectronic Memory Device with Multilevel Resistive Switching for Neuromorphic Application. *Advanced Electronic Materials*, *7*(4), 1–11. https://doi.org/10.1002/aelm.202001079

De Vries, F., & Otten, E. (2022a). Reversible On/Off Switching of Lactide Cyclopolymerization with a Redox-Active Formazanate Ligand. *ACS Catalysis*, *12*(7), 4125–4130. https://doi.org/10.1021/acscatal.1c05689

Deshmukh, A. P., Patil, K., Ogale, S., & Bhave, T. (2023). Resistive Switching in CsPbBr 3 (0D)/MoS 2 (2D) Heterojunction System: Trap-Controlled Space Charge Limited Transport Mechanism . *ACS Applied Electronic Materials*, *3*. https://doi.org/10.1021/acsaelm.2c01590

Dhindsa, J. S., Maar, R. R., Barbon, S. M., Olivia Avilés, M., Powell, Z. K., Lagugné-Labarthet, F., & Gilroy, J. B. (2018). A π-conjugated inorganic polymer constructed from boron difluoride formazanates and platinum(ii) diynes. *Chemical Communications*, *54*(50), 6899–6902. https://doi.org/10.1039/c8cc02424c

Dolg, M., Wedig, U., Stoll, H., & Preuss, H. (1986). Energy-adjusted ab initio pseudopotentials for the first row transition elements. *The Journal of Chemical Physics*, *86*(2), 866–872. https://doi.org/10.1063/1.452288

Dwivedi, A., Lodhi, A., Saini, S., Agarwal, H., & Tiwari, S. P. (2022). Fabrication and Modeling of Flexible High-Performance Resistive Switching Devices With Biomaterial Gelatin/Ultrathin HfOx Hybrid Bilayer. *IEEE Transactions on Electron Devices*, *69*(11), 6423–6429. https://doi.org/10.1109/TED.2022.3206255

Eisenstein, O., Hitchcock, P. B., Khvostov, A. V., Lappert, M. F., Maron, L., Perrin, L., & Protchenko, A. V. (2003). Mono-, di-, and trianionic β-diketiminato ligands: A computational study and the synthesis and structure of [(YbL)3(THF)], L = [{N(SiMe3)C(PH)}2CH]. *Journal of the American Chemical Society*, *125*(36), 10790–10791. https://doi.org/10.1021/ja036902s

El-Megharbel, S. M., & Refat, M. S. (2015). Ligational behavior of clioquinol antifungal drug towards Ag(I), Hg(II), Cr(III) and Fe(III) metal ions: Synthesis, spectroscopic, thermal, morphological and antimicrobial studies. *Journal of Molecular Structure*, *1085*, 222–234. https://doi.org/10.1016/j.molstruc.2014.12.081

Ezugwu, S., Paquette, J. A., Yadav, V., Gilroy, J. B., & Fanchini, G. (2016). Design Criteria for Ultrathin Single-Layer Flash Memristors from an Organic Polyradical. *Advanced Electronic Materials*, *2*(11). https://doi.org/10.1002/aelm.201600253

Fryšová, I., Slouka, J., & Hlaváč, J. (2006). The synthesis of condensed imidazoles II. A simple synthesis of some 1,5-diaryl-3-[2-(naphtho[2,3-d]imidazol-2-yl)]formazans and its derivatives 1. *General Papers ARKIVOC*, 207–212.

Fukuzumi, S., & Yamada, Y. (2014). Thermal and photocatalytic production of hydrogen peroxide and its use in hydrogen peroxide fuel cells. *Australian Journal of Chemistry*, *67*(3), 354–364. https://doi.org/10.1071/CH13436

Fukuzumi, S., Yamada, Y., & Karlin, K. D. (2012). Hydrogen peroxide as a sustainable energy carrier: Electrocatalytic production of hydrogen peroxide and the fuel cell. *Electrochimica Acta*, *82*, 493–511. https://doi.org/10.1016/j.electacta.2012.03.132

Gao, S., Yi, X., Shang, J., Liu, G., & Li, R. W. (2019). Organic and hybrid resistive switching materials and devices. *Chemical Society Reviews*, *48*(6), 1531–1565. https://doi.org/10.1039/c8cs00614h

García-Seijo, M. I., Castieiras, A., Mahieu, B., Jánosi, L., Berente, Z., Kollár, L., & García-Fernández, M. E. (2001). Crystal structure and reactivity of mononuclear cationic palladium(II) and platinum(II) triphos complexes with phenyltin(IV) anions. The formation of polynuclear platinum-triphos ionic and covalent complexes. *Polyhedron*, *20*(9–10), 855–868. https://doi.org/10.1016/S0277-5387(01)00716-1

Garreau-de Bonneval, B., Moineau-Chane Ching, K. I., Alary, F., Bui, T. T., & Valade, L. (2010). Neutral d8 metal bis-dithiolene complexes: Synthesis, electronic properties and applications. In *Coordination Chemistry Reviews* (Vol. 254, Issues 13–14, pp. 1457–1467). https://doi.org/10.1016/j.ccr.2010.02.019

Ghasemi, M., Turnbull, T., Sebastian, S., & Kempson, I. (2021). The mtt assay: Utility, limitations, pitfalls, and interpretation in bulk and single-cell analysis. *International Journal of Molecular Sciences*, *22*(23). https://doi.org/10.3390/ijms222312827

Gilbert, N., Zhang, Y., Dinh, J., Calhoun, B., & Hollmer, S. (2013). Low Energy Applications C204 C205. *Symposium on VLSI Circuits (VLSI)*, 5–6.

Gilroy, J. B., Ferguson, M. J., McDonald, R., Patrick, B. O., & Hicks, R. G. (2007a). Formazans as β-diketiminate analogues. Structural characterization of boratatetrazines and their reduction to borataverdazyl radical anions. *Chemical Communications*, *2*, 126–128. https://doi.org/10.1039/b609365e

Gilroy, J. B., Otieno, P. O., Ferguson, M. J., Mcdonald, R., & Hicks, R. G. (2008). *Synthesis and Characterization of 3-Cyano- and 3-Nitroformazans , Nitrogen-Rich Analogues of -Diketimine Ligands*. *47*(4), 1279–1286.

Gilroy, J. B., Otieno, P. O., Ferguson, M. J., McDonald, R., & Hicks, R. G. (2008). Synthesis and characterization of 3-cyano- and 3-nitroformazans, nitrogen-rich analogues of β-diketimine ligands. *Inorganic Chemistry*, *47*(4), 1279–1286. https://doi.org/10.1021/ic7019445

Gilroy, J. B., & Otten, E. (2020a). Formazanate coordination compounds: Synthesis, reactivity, and applications. In *Chemical Society Reviews* (Vol. 49, Issue 1, pp. 85–113). Royal Society of Chemistry. https://doi.org/10.1039/c9cs00676a

Gilroy, J. B., Patrick, B. O., McDonald, R., & Hicks, R. G. (2008). Transition metal complexes of 3-cyano- and 3-nitroformazans. *Inorganic Chemistry*, *47*(4), 1287–1294. https://doi.org/10.1021/ic7019846

Gorbatenko, Y. A., Rezinskikh, Z. G., Lipunova, G. N., Pervova, I. G., Maslakova, T. I., Slepukhin, P. A., & Lipunov, I. N. (2008). Synthesis and spectroscopic features of iron(II) 1-aryl-5-benzothiazol-2- ylformazanates. *Russian Journal of Applied Chemistry*, *81*(12), 2127–2131. https://doi.org/10.1134/S1070427208120161

Goswami, S., Matula, A. J., Rath, S. P., Hedström, S., Saha, S., Annamalai, M., Sengupta, D., Patra, A., Ghosh, S., Jani, H., Sarkar, S., Motapothula, M. R., Nijhuis, C. A., Martin, J., Goswami, S., Batista, V. S., & Venkatesan, T. (2017a). Robust resistive memory devices using solution-processable metal-coordinated azo aromatics. *Nature Materials*, *16*(12), 1216–1224. https://doi.org/10.1038/nmat5009

Goswami, S., Sengupta, D., Paul, N. D., Mondal, T. K., & Goswami, S. (2014a). Redox non-innocence of coordinated 2-(arylazo) pyridines in iridium complexes: Characterization of redox series and an insight into voltage-induced current characteristics. *Chemistry - A European Journal*, *20*(20), 6103–6111. https://doi.org/10.1002/chem.201304369

Grimme, S., Antony, J., Ehrlich, S., & Krieg, H. (2010). A consistent and accurate ab initio parametrization of density functional dispersion correction (DFT-D) for the 94 elements H-Pu. *Journal of Chemical Physics*, *132*(15). https://doi.org/10.1063/1.3382344

Gu, P. Y., Gao, J., Lu, C. J., Chen, W., Wang, C., Li, G., Zhou, F., Xu, Q. F., Lu, J. M., & Zhang, Q. (2014). Synthesis of tetranitro-oxacalix[4]arene with oligoheteroacene groups and its nonvolatile ternary memory performance. *Materials Horizons*, *1*(4), 446–451. https://doi.org/10.1039/c4mh00022f

Gu, P. Y., Zhou, F., Gao, J., Li, G., Wang, C., Xu, Q. F., Zhang, Q., & Lu, J. M. (2013). Synthesis, characterization, and nonvolatile ternary memory behavior of a larger heteroacene with nine linearly fused rings and two different heteroatoms. *Journal of the American Chemical Society*, *135*(38), 14086–14089. https://doi.org/10.1021/ja408208c

Guo, X., Liu, J., Cao, L., Liang, Q., & Lei, S. (2019). Nonvolatile Memory Device Based on Copper Polyphthalocyanine Thin Films. *ACS Omega*, *4*(6), 10419–10423. https://doi.org/10.1021/acsomega.9b01224

Guo, X., Schindler, C., Menzel, S., & Waser, R. (2007). Understanding the switching-off mechanism in Ag+ migration based resistively switching model systems. *Applied Physics Letters*, *91*(13). https://doi.org/10.1063/1.2793686

Gurbanov, A. V., Andrade, M. A., Martins, L. M. D. R. S., Mahmudov, K. T., & Pombeiro, A. J. L. (2022). Water-soluble Al(iii), Fe(iii) and Cu(ii) formazanates: synthesis, structure, and applications in alkane and alcohol oxidations . *New Journal of Chemistry*, *46*(11), 5002–5011. https://doi.org/10.1039/d1nj06211e

Han, S. T., Zhou, Y., & Roy, V. A. L. (2013). Towards the development of flexible non-volatile memories. *Advanced Materials*, *25*(38), 5425–5449. https://doi.org/10.1002/adma.201301361

Harshini, D., Angela, V. M., Devibala, P., Imran, P. M., Bhuvanesh, N. S. P., & Nagarajan, S. (2022). Improved Resistive Switching WORM Memory Behavior in D-π-A Architectures by Modifying the Terminal Donor Units. *ACS Applied Electronic Materials*. https://doi.org/10.1021/acsaelm.2c00652

Hazell, A., Khoo, L. E., Ouyang, J., Rausch, B. J., & Tavares, Z. M. (1998). 8-methylaminoquinolinium salts of tetrachlorodimethylstannate(IV) and tetrachlorodiphenylstannate(IV). *Acta Crystallographica Section C: Crystal Structure Communications*, *54*(6), 728–732. https://doi.org/10.1107/S0108270198000626

Heintz, R. A., Zhao, H., Ouyang, X., Grandinetti, G., Cowen, J., & Dunbar, K. R. (1999). New Insight into the nature of Cu(TCNQ): Solution routes to two distinct polymorphs and their relationship to crystalline films that display bistable switching behavior. *Inorganic Chemistry*, *38*(1), 144–156. https://doi.org/10.1021/ic9812095

Heremans, P., Gelinck, G. H., Müller, R., Baeg, K. J., Kim, D. Y., & Noh, Y. Y. (2011a). Polymer and organic nonvolatile memory devices. *Chemistry of Materials*, *23*(3), 341–358. https://doi.org/10.1021/cm102006v

Hesari, M., Barbon, S. M., Mendes, R. B., Staroverov, V. N., Ding, Z., & Gilroy, J. B. (2018). Structural Tuning of Boron Difluoride Formazanate Electrochemiluminescence Mediated by Tri-n-propylamine. *Journal of Physical Chemistry C*, *122*(2), 1258–1266. https://doi.org/10.1021/acs.jpcc.7b10246

Hicks, R. G. (2007). What's new in stable radical chemistry? *Organic and Biomolecular Chemistry*, *5*(9), 1321–1338. https://doi.org/10.1039/b617142g

Hong, E. Y. H., Poon, C. T., & Yam, V. W. W. (2016a). A Phosphole Oxide-Containing Organogold(III) Complex for Solution-Processable Resistive Memory Devices with Ternary Memory Performances. *Journal of the American Chemical Society*, *138*(20), 6368–6371. https://doi.org/10.1021/jacs.6b02629

Hong, E. Y. H., & Yam, V. W. W. (2017a). Triindole-tris-alkynyl-bridged trinuclear gold(I) complexes for cooperative supramolecular self-assembly and small-molecule solution-processable resistive memories. *ACS Applied Materials and Interfaces*, *9*(3), 2616–2624. https://doi.org/10.1021/acsami.6b12404

Hong, E. Y. H., & Yam, V. W. W. (2017b). Triindole-tris-alkynyl-bridged trinuclear gold(I) complexes for cooperative supramolecular self-assembly and small-molecule solution-processable resistive memories. *ACS Applied Materials and Interfaces*, *9*(3), 2616–2624. https://doi.org/10.1021/acsami.6b12404

Hu, B., Wang, C., Wang, J., Gao, J., Wang, K., Wu, J., Zhang, G., Cheng, W., Venkateswarlu, B., Wang, M., Lee, P. S., & Zhang, Q. (2014). Inorganic-organic hybrid polymer with multiple redox for high-density data storage. *Chemical Science*, *5*(9), 3404–3408. https://doi.org/10.1039/c4sc00823e

Hunter, L., & Roberts, C. B. (1941). a Chelating. *J. Chem. Soc.*, *I*, 823–826.

Ibarra, J. R., Orozco, A. D., Rojas, J. A., López, K., Setlow, P., Yasbin, R. E., & Pedraza-Reyes, M. (2008). Role of the Nfo and ExoA Apurinic/apyrimidinic endonucleases in repair of DNA damage during outgrowth of Bacillus subtilis spores. *Journal of Bacteriology*, *190*(6), 2031–2038. https://doi.org/10.1128/JB.01625-07

Ikuta, K. S., Swetschinski, L. R., Robles Aguilar, G., Sharara, F., Mestrovic, T., Gray, A. P., Davis Weaver, N., Wool, E. E., Han, C., Gershberg Hayoon, A., Aali, A., Abate, S. M., Abbasi-Kangevari, M., Abbasi-Kangevari, Z., Abd-Elsalam, S., Abebe, G., Abedi, A., Abhari, A. P., Abidi, H., … Naghavi, M. (2022). Global mortality associated with 33 bacterial pathogens in 2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet*, *400*(10369), 2221–2248. https://doi.org/10.1016/S0140-6736(22)02185-7

Insuasty, D., Vidal, O., Bernal, A., Marquez, E., Guzman, J., Insuasty, B., Quiroga, J., Svetaz, L., Zacchino, S., Puerto, G., & Abonia, R. (2019). Antimicrobial activity of quinoline-based hydroxyimidazolium hybrids. *Antibiotics*, *8*(4), 1–11. https://doi.org/10.3390/antibiotics8040239

Ito, S., Ito, Y., Kazuo, T., & Chujo, Y. (2022). Near-infrared-emissive π-conjugated polymers based on five-coordinated silicon formazanate complexes. *Polymer*, *239*(December 2021), 124463. https://doi.org/10.1016/j.polymer.2021.124463

J, C. P., & Karl, W. (2010). Radical Ligands Confer Nobility on Base-Metal Catalysts. *Science*, *327*(5967), 794–795.

Jafar, M., & Haneman, D. (1994). Switching in amorphous-silicon devices. *Physical Review B*, *49*(19), 13611–13615. https://doi.org/10.1103/PhysRevB.49.13611

Jiménez, J., Škalič, M., Martínez-Rosell, G., & De Fabritiis, G. (2018). KDEEP: Protein-Ligand Absolute Binding Affinity Prediction via 3D-Convolutional Neural Networks. *Journal of Chemical Information and Modeling*, *58*(2), 287–296. https://doi.org/10.1021/acs.jcim.7b00650

Jin, D., Sun, X., Hinz, A., & Roesky, P. W. (2022a). Rare-earth metal complexes with redox-active formazanate ligands. *Dalton Transactions*, *51*(13), 5218–5226. https://doi.org/10.1039/d2dt00456a

Johnston, C. W., McKinnon, S. D. J., Patrick, B. O., & Hicks, R. G. (2013a). The first "kuhn verdazyl" ligand and comparative studies of its PdCl2 complex with analogous 6-oxoverdazyl ligands. *Dalton Transactions*, *42*(48), 16829–16836. https://doi.org/10.1039/c3dt52191e

Jørgensen, Chr. K. (1966). Differences between the four halide ligands, and discussion remarks on trigonal-bipyramidal complexes, on oxidation states, and on diagonal elements of one-electron energy. *Coordination Chemistry Reviews*, *1*(1), 164–178. https://doi.org/https://doi.org/10.1016/S0010-8545(00)80170-8

Kabir, E., Mu, G., Momtaz, D. A., Bryce, N. A., & Teets, T. S. (2019). Formazanate Complexes of Bis-Cyclometalated Iridium. *Inorganic Chemistry*, *58*(17), 11672–11683. https://doi.org/10.1021/acs.inorgchem.9b01657

Kabir, E., Patel, D., Clark, K., & Teets, T. S. (2018). Spectroscopic and Electrochemical Properties of Electronically Modified Cycloplatinated Formazanate Complexes. *Inorganic Chemistry*, *57*(17), 10906–10917. https://doi.org/10.1021/acs.inorgchem.8b01543

Kaim, W., & Schwederski, B. (2010). Non-innocent ligands in bioinorganic chemistry-An overview. In *Coordination Chemistry Reviews* (Vol. 254, Issues 13–14, pp. 1580–1588). https://doi.org/10.1016/j.ccr.2010.01.009

Kalsia, R., Pandea, K., Bhallaa, T. N., Parmarb, S. S., & Barthwala, J. P. (1988). Novel Formazans as Potent Anti-Inflammatory and Analgesic Agents. In *Pharmacology* (Vol. 37).

Kamboj, N., Betal, A., Majumder, M., Sahu, S., & Metre, R. K. (2023). Redox Switching Behavior in Resistive Memory Device Designed Using a Solution-Processable Phenalenyl-Based Co(II) Complex: Experimental and DFT Studies. *Inorganic Chemistry*, *62*(10), 4170–4180. https://doi.org/10.1021/acs.inorgchem.2c04264

Kamboj, N., Dey, A., Birara, S., Majumder, M., Sengupta, S., & Metre, R. K. (2024). Designing one-compartment H_2O_2 fuel cell using electroactive phenalenyl-based [Fe_2(hnmh-PLY)$_3$] complex as the cathode material. *Dalton Transactions*, 53, 7152-7162. https://doi.org/10.1039/D4DT00134F

Kandasamy, B., Ramar, G., Zhou, L., Han, S. T., Venkatesh, S., Cheng, S. C., Xu, Z., Ko, C. C., & Roy, V. A. L. (2018a). Polypyridyl chromium(III) complexes for non-volatile memory application: Impact of the coordination sphere on memory device performance. *Journal of Materials Chemistry C*, *6*(6), 1445–1450. https://doi.org/10.1039/c7tc04986b

Kang, T. K. (2016). Highly Stretchable Non-volatile Nylon Thread Memory. *Scientific Reports*, *6*(June 2015), 1–7. https://doi.org/10.1038/srep24406

Katritzky Sergei A; Cheng Dai; Durst H Dupont, A. A. B. (1995). Syntheses of Formazans Under Phase-Transfer Conditions. *Synthesis*, *1995*(05), 577–581. https://doi.org/10.1055/s-1995-3958

Khan, Q. U., Jia, N., Tian, G., Qi, S., & Wu, D. (2017). Triggering WORM/SRAM Memory Conversion in a Porphyrinated Polyimide via Zn Complexation as the Internal Electrode. *Journal of Physical Chemistry C*, *121*(17), 9153–9161. https://doi.org/10.1021/acs.jpcc.7b01732

Khan, S. A., Rizwan, K., Shahid, S., Noamaan, M. A., Rasheed, T., & Amjad, H. (2020). Synthesis, DFT, computational exploration of chemical reactivity, molecular docking studies of novel formazan metal complexes and their biological applications. *Applied Organometallic Chemistry*, *34*(3), 1–24. https://doi.org/10.1002/aoc.5444

Khan, S. A., Shahid, S., Kanwal, S., Rizwan, K., Mahmood, T., & Ayub, K. (2019). Synthesis of novel metal complexes of 2-((phenyl (2-(4-sulfophenyl) hydrazono) methyl) diazenyl) benzoic acid formazan dyes: Characterization, antimicrobial and optical properties studies on leather. *Journal of Molecular Structure*, *1175*, 73–89. https://doi.org/10.1016/j.molstruc.2018.07.081

Khusniyarov, M. M., Bill, E., Weyhermüller, T., Bothe, E., & Wieghardt, K. (2011). Hidden noninnocence: Theoretical and experimental evidence for redox activity of a β-diketiminate(1-) ligand. *Angewandte Chemie - International Edition*, *50*(7), 1652–1655. https://doi.org/10.1002/anie.201005953

Kidwai, M., Negi, N., & Gupta, S. D. (1994). Synthesis and antifertility activity of 1, 5-diaryl-3-(3'-indolyl) formazans. *Chemical and Pharmaceutical Bulletin*, *42*(11), 2363–2364.

Kim, H. D., An, H. M., Hong, S. M., & Kim, T. G. (2012). Unipolar resistive switching phenomena in fully transparent SiN-based memory cells. *Semiconductor Science and Technology*, *27*(12). https://doi.org/10.1088/0268-1242/27/12/125020

Kim, K. M., Jeong, D. S., & Hwang, C. S. (2011). Nanofilamentary resistive switching in binary oxide system; A review on the present status and outlook. *Nanotechnology*, *22*(25). https://doi.org/10.1088/0957-4484/22/25/254002

Kim, K. M., Yang, J. J., Strachan, J. P., Grafals, E. M., Ge, N., Melendez, N. D., Li, Z., & Williams, R. S. (2016). Voltage divider effect for the improvement of variability and endurance of TaOx memristor. *Scientific Reports*, *6*(October 2015), 1–6. https://doi.org/10.1038/srep20085

Kirby-Bauer Disk Diffusion Susceptibility Test Protocol; 2009. www.atcc.org. (n.d.).

Koivisto, B. D., & Hicks, R. G. (2005). The magnetochemistry of verdazyl radical-based materials. In *Coordination Chemistry Reviews* (Vol. 249, Issue 23, pp. 2612–2630). https://doi.org/10.1016/j.ccr.2005.03.012

Kollmar, C., Sivalingam, K., Helmich-Paris, B., Angeli, C., & Neese, F. (2019). A perturbation-based super-CI approach for the orbital optimization of a CASSCF wave function. *Journal of Computational Chemistry*, *40*(14), 1463–1470. https://doi.org/10.1002/jcc.25801

Kumar, C., Agrawal, A. R., Ghosh, N. G., Karmakar, H. S., Das, S., Kumar, N. R., Banewar, V. W., & Zade, S. S. (2020). Boron difluoride formazanates with thiophene and 3,4-ethylenedioxythiophene capping and their electrochemical polymerization. *Dalton Transactions*, *49*(38), 13202–13206. https://doi.org/10.1039/d0dt02905j

Kumar, S. (2017). FRONTIERS OF FORMAZANS CHEMISTRY: A REVIEW. *World Journal of Pharmaceutical Research*, 800–841. https://doi.org/10.20959/wjpr20178-9178

Kundu, S., Mohapatra, B., Mohapatra, C., Verma, S., & Chandrasekhar, V. (2015). Polymeric, molecular and ionic organotin complexes containing hypoxanthine, adenine and 2-aminopurine. synthesis and supramolecular structures. *Crystal Growth and Design*, *15*(1), 247–256. https://doi.org/10.1021/cg501322w

Lakshmi, N., Haritha, V., Sreeram, V., Rajalakshmi, D., Sindhura, N., & Visagaperumal, D. (2009). Synthesis and their possible biological activities of few formazans of 3-amino-2 sulphanyl-2,3,4,5,6,7,8-hexa hydro(1) benzothieno(2,3-d)pyrimidin-4(1H)-one. *Rasayan Journal of Chemistry*, *2*(1), 71–74. https://www.scopus.com/inward/record.uri?eid=2-s2.0-79951824599&partnerID=40&md5=e35cb93bc25295541da3000715d3db75

Lam, P. L., Lu, G. L., Choi, K. H., Lin, Z., Kok, S. H. L., Lee, K. K. H., Lam, K. H., Li, H., Gambari, R., Bian, Z. X., Wong, W. Y., & Chui, C. H. (2016). Antimicrobial and toxicological evaluations of binuclear mercury(ii)bis(alkynyl) complexes containing oligothiophenes and bithiazoles. *RSC Advances*, *6*(20), 16736–16744. https://doi.org/10.1039/c5ra27600d

Lamb, D. C., Lei, L., Warrilow, A. G. S., Lepesheva, G. I., Mullins, J. G. L., Waterman, M. R., & Kelly, S. L. (2009). The First Virally Encoded Cytochrome P450. *Journal of Virology*, *83*(16), 8266–8269. https://doi.org/10.1128/jvi.00289-09

Lee, M. J., Lee, C. B., Lee, D., Lee, S. R., Chang, M., Hur, J. H., Kim, Y. B., Kim, C. J., Seo, D. H., Seo, S., Chung, U. I., Yoo, I. K., & Kim, K. (2011). A fast, high-endurance and scalable non-volatile memory device made from asymmetric Ta2O5-xx/TaO2-xbilayer structures. *Nature Materials*, *10*(8), 625–630. https://doi.org/10.1038/nmat3070

Lee, S., Kim, S., & Yoo, H. (2021). Contribution of polymers to electronic memory devices and applications. *Polymers*, *13*(21). https://doi.org/10.3390/polym13213774

Lemire, J. A., Harrison, J. J., & Turner, R. J. (2013). Antimicrobial activity of metals: Mechanisms, molecular targets and applications. *Nature Reviews Microbiology*, *11*(6), 371–384. https://doi.org/10.1038/nrmicro3028

Létard, J.-F., Guionneau, P., & Goux-Capes, L. (2006). Towards Spin Crossover Applications. In *Spin Crossover in Transition Metal Compounds III* (pp. 221–249). Springer-Verlag. https://doi.org/10.1007/b95429

Leung, M. Y., Leung, S. Y. L., Wu, D., Yu, T., & Yam, V. W. W. (2016). Synthesis, Electrochemistry, and Photophysical Studies of Ruthenium(II) Polypyridine Complexes with D–π–A–π–D Type Ligands and Their Application Studies as Organic Memories. *Chemistry - A European Journal*, *22*(39), 14013–14021. https://doi.org/10.1002/chem.201602228

Levitsky, M. M., Bilyachenko, A. N., Shubina, E. S., Long, J., Guari, Y., & Larionova, J. (2019). Magnetic cage-like metallasilsesquioxanes. *Coordination Chemistry Reviews*, *398*, 213015. https://doi.org/10.1016/j.ccr.2019.213015

Li, H., Xu, Q., Li, N., Sun, R., Ge, J., Lu, J., Gu, H., & Yan, F. (2010). *A Small-Molecule-Based Ternary Data-Storage Device*. 5542–5543.

Li, L., & Wen, D. (2016). Memory behavior of multi-bit resistive switching based on multiwalled carbon nanotubes. *Organic Electronics*, *34*, 12–17. https://doi.org/10.1016/j.orgel.2016.03.041

Li, Y., Chen, L., Ai, Y., Hong, E. Y. H., Chan, A. K. W., & Yam, V. W. W. (2017). Supramolecular self-assembly and dual-switch vapochromic, vapoluminescent, and resistive memory behaviors of amphiphilic platinum(II) complexes. *Journal of the American Chemical Society*, *139*(39), 13858–13866. https://doi.org/10.1021/jacs.7b07638

Li, Y., Qian, Q., Zhu, X., Li, Y., Zhang, M., Li, J., Ma, C., Li, H., Lu, J., & Zhang, Q. (2020). Recent advances in organic-based materials for resistive memory applications. *InfoMat*, *2*(6), 995–1033. https://doi.org/10.1002/inf2.12120

Li, Y., Wang, Z., Zhang, C., Gu, P., Chen, W., Li, H., Lu, J., & Zhang, Q. (2018). Thiadizoloquinoxaline-Based N-Heteroacenes as Active Elements for High-Density Data-Storage Device. *ACS Applied Materials and Interfaces*, *10*(18), 15971–15979. https://doi.org/10.1021/acsami.8b05178

Lian, H., Cheng, X., Hao, H., Han, J., Lau, M. T., Li, Z., Zhou, Z., Dong, Q., & Wong, W. Y. (2022a). Metal-containing organic compounds for memory and data storage applications. *Chemical Society Reviews*, *51*(6), 1926–1982. https://doi.org/10.1039/d0cs00569j

Lin, B. C., Cheng, C. P., You, Z. Q., & Hsu, C. P. (2011). The role of CH-π interaction in the charge transfer properties in tris(8-hydroxyquinolinato)aluminium(iii). *Physical Chemistry Chemical Physics*, *13*(46), 20704–20713. https://doi.org/10.1039/c1cp22535a

Lin, W. P., Liu, S. J., Gong, T., Zhao, Q., & Huang, W. (2014a). Polymer-based resistive memory materials and devices. *Advanced Materials*, *26*(4), 570–606. https://doi.org/10.1002/adma.201302637

Ling, Q. D., Chang, F. C., Song, Y., Zhu, C. X., Liaw, D. J., Chan, D. S. H., Kang, E. T., & Neoh, K. G. (2006). Synthesis and dynamic random access memory behavior of a functional polyimide. *Journal of the American Chemical Society*, *128*(27), 8732–8733. https://doi.org/10.1021/ja062489n

Ling, Q. D., Song, Y., Lim, S. L., Teo, E. Y. H., Tan, Y. P., Zhu, C., Chan, D. S. H., Kwong, D. L., Kang, E. T., & Neoh, K. G. (2006). A dynamic random access memory based on a conjugated copolymer containing electron-donor and -acceptor moieties. *Angewandte Chemie - International Edition*, *45*(18), 2947–2951. https://doi.org/10.1002/anie.200504365

Lippert, C. A., Hardcastle, K. I., & Soper, J. D. (2011). Harnessing redox-active ligands for low-barrier radical addition at oxorhenium complexes. In *Inorganic Chemistry* (Vol. 50, Issue 20, pp. 9864–9878). https://doi.org/10.1021/ic200923q

Liu, C. L., Hsu, J. C., Chen, W. C., Sugiyama, K., & Hirao, A. (2009). Non-volatile memory devices based on polystyrene derivatives with electron-donating oligofluorene pendent moieties. *ACS Applied Materials and Interfaces*, *1*(9), 1974–1979. https://doi.org/10.1021/am900346j

Liu, S. J., Lin, Z. H., Zhao, Q., Ma, Y., Shi, H. F., Yi, M. D., Ling, Q. D., Fan, Q. L., Zhu, C. X., Kang, E. T., & Huang, W. (2011). Flash-memory effect for polyfluorenes with on-chain iridium(III) complexes. *Advanced Functional Materials*, *21*(5), 979–985. https://doi.org/10.1002/adfm.201001884

Liu, S. J., Wang, P., Zhao, Q., Yang, H. Y., Wong, J., Sun, H. Bin, Dong, X. C., Lin, W. P., & Huang, W. (2012). Single polymer-based ternary electronic memory material and device. *Advanced Materials*, *24*(21), 2901–2905. https://doi.org/10.1002/adma.201104307

Lodhi, A., Saini, S., Dwivedi, A., Khandelwal, A., & Tiwari, S. P. (2022a). Bipolar resistive switching properties of TiO x/graphene oxide doped PVP based bilayer ReRAM. *Journal of Micromechanics and Microengineering*, *32*(4). https://doi.org/10.1088/1361-6439/ac521f

López, R. (2014). Capillary surfaces with free boundary in a wedge. *Advances in Mathematics*, *262*, 476–483. https://doi.org/10.1016/j.aim.2014.05.019

Lu, F., Zarkesh, R. A., & Heyduk, A. F. (2012). A redox-active ligand as a reservoir for protons and electrons: O 2 reduction at zirconium(IV). *European Journal of Inorganic Chemistry*, *3*, 467–470. https://doi.org/10.1002/ejic.201100798

Lu, N., Li, L., Sun, P., Wang, M., Liu, Q., Lv, H., Long, S., & Liu, M. (2015). A novel method of identifying the carrier transport path in metal oxide resistive random access memory. *Journal of Physics D: Applied Physics*, *48*(6), 65101. https://doi.org/10.1088/0022-3727/48/6/065101

Luca, O. R., & Crabtree, R. H. (2013). Redox-active ligands in catalysis. *Chemical Society Reviews*, *42*(4), 1440–1459. https://doi.org/10.1039/c2cs35228a

Lyaskovskyy, V., & De Bruin, B. (2012). Redox non-innocent ligands: Versatile new tools to control catalytic reactions. *ACS Catalysis*, *2*(2), 270–279. https://doi.org/10.1021/cs200660v

Ma, L. P., Liu, J., & Yang, Y. (2002). Organic electrical bistable devices and rewritable memory cells. *Applied Physics Letters*, *80*(16), 2997–2999. https://doi.org/10.1063/1.1473234

Maar, R. R., Barbon, S. M., Sharma, N., Groom, H., Luyt, L. G., & Gilroy, J. B. (2015a). Evaluation of Anisole-Substituted Boron Difluoride Formazanate Complexes for Fluorescence Cell Imaging. *Chemistry - A European Journal*, *21*(44), 15589–15599. https://doi.org/10.1002/chem.201502821

Maar, R. R., Catingan, S. D., Staroverov, V. N., & Gilroy, J. B. (2018). Formazanate Complexes of Hypervalent Group 14 Elements as Precursors to Electronically Stabilized Radicals. *Angewandte Chemie - International Edition*, *57*(31), 9870–9874. https://doi.org/10.1002/anie.201806097

Maar, R. R., Zhang, R., Stephens, D. G., Ding, Z., & Gilroy, J. B. (2019). Near-Infrared Photoluminescence and Electrochemiluminescence from a Remarkably Simple Boron Difluoride Formazanate Dye. *Angewandte Chemie - International Edition*, *58*(4), 1052–1056. https://doi.org/10.1002/anie.201811144

Maglangit, F., Yu, Y., & Deng, H. (2021). Bacterial pathogens: Threat or treat (a review on bioactive natural products from bacterial pathogens). In *Natural Product Reports* (Vol. 38, Issue 4, pp. 782–821). Royal Society of Chemistry. https://doi.org/10.1039/d0np00061b

Mahdi, H. A., Abbas, K. S., & Dagher, H. M. (2015). *Synthesis , Characterization and Anti-hyperglycemic Activity of some novel Formazans Derivatives*. *7*(12), 72–80.

Mao, S., Zhang, X., Zhou, G., Chen, Y., Ke, C., Zhou, W., Sun, B., & Zhao, Y. (2021). Mechanism and Application of Capacitive-Coupled Memristive Behavior Based on a Biomaterial Developed Memristive Device. *ACS Applied Electronic Materials*, *3*(12), 5537–5547. https://doi.org/10.1021/acsaelm.1c00951

Mariappan, G., Korim, R., Joshi, N. M., Alam, F., Hazarika, R., Kumar, D., & Uriah, T. (2010a). Synthesis and biological evaluation of formazan derivatives. *Journal of Advanced Pharmaceutical Technology & Research*, *1*(4). https://journals.lww.com/japtr/fulltext/2010/01040/synthesis_and_biological_evaluation_of_formazan.6.aspx

Masood, M. D. A., Jagannathan, R., & Zacharias, P. S. (1991). Electrochemical and Mossbauer Studies on Iron(11) Complexes of a New Series of Entwining Ligands: Stabilization of Uni-and Zero-valent Oxidation States. In *J. CHEM. SOC. DALTON TRANS*.

Miao, S., Li, H., Xu, Q., Li, N., Zheng, J., Sun, R., Lu, J., & Li, C. M. (2012). Molecular length adjustment for organic azo-based nonvolatile ternary memory devices. *Journal of Materials Chemistry*, *22*(32), 16582–16589. https://doi.org/10.1039/c2jm32992a

Miao, S., Li, H., Xu, Q., Li, Y., Ji, S., Li, N., Wang, L., Zheng, J., & Lu, J. (2012). Tailoring of molecular planarity to reduce charge injection barrier for high-performance small-molecule-based ternary memory device with low threshold voltage. *Advanced Materials*, *24*(46), 6210–6215. https://doi.org/10.1002/adma.201202319

Milocco, F., De Vries, F., Bartels, I. M. A., Havenith, R. W. A., Cirera, J., Demeshko, S., Meyer, F., & Otten, E. (2020). Electronic Control of Spin-Crossover Properties in Four-Coordinate Bis(formazanate) Iron(II) Complexes. *Journal of the American Chemical Society*. https://doi.org/10.1021/jacs.0c10010

Milocco, F., De Vries, F., Siebe, H. S., Engbers, S., Demeshko, S., Meyer, F., & Otten, E. (2021). Widening the Window of Spin-Crossover Temperatures in Bis(formazanate)iron(II) Complexes via Steric and Noncovalent Interactions. *Inorganic Chemistry*. https://doi.org/10.1021/acs.inorgchem.0c03593

Misra, V. S., & Dhar, S. (1980). Synthesis of some newer formazans and tetrazolium salts and their effect on Ranikhet disease virus and the vaccinia virus. *Die Pharmazie*, *35*(10), 585–586. http://europepmc.org/abstract/MED/7454738

Miyamachi, T., Gruber, M., Davesne, V., Bowen, M., Boukari, S., Joly, L., Scheurer, F., Rogez, G., Yamada, T. K., Ohresser, P., Beaurepaire, E., & Wulfhekel, W. (2012). Robust spin crossover and memristance across a single molecule. *Nature Communications*, *3*(May), 936–938. https://doi.org/10.1038/ncomms1940

Mohammed, O. A., & Dahham, O. S. (2018). Synthesis, Characterization, and Study of Antibacterial Activity of Some New Formazan Dyes Derivatives, Derived from 2-Mercapto Benzoxazole. *IOP Conference Series: Materials Science and Engineering*, *454*(1). https://doi.org/10.1088/1757-899X/454/1/012015

Mojahedi Jahromi, S., Montazerozohori, M., & Mojahedi Jahromi, S. (2015). Synthesis, spectral, thermal behaviors, and antimicrobial studies of some nanostructure five coordinated Hg(II) complexes. *Journal of Thermal Analysis and Calorimetry*, *120*(1), 591–602. https://doi.org/10.1007/s10973-015-4594-0

Mondol, R., & Otten, E. (2018). Reactivity of Two-Electron-Reduced Boron Formazanate Compounds with Electrophiles: Facile N–H/N–C Bond Homolysis Due to the Formation of Stable Ligand Radicals. *Inorganic Chemistry*, *57*(16), 9720–9727. https://doi.org/10.1021/acs.inorgchem.8b00079

Mondol, R., & Otten, E. (2019). Aluminum Complexes with Redox-Active Formazanate Ligand: Synthesis, Characterization, and Reduction Chemistry. *Inorganic Chemistry*, *58*(9), 6344–6355. https://doi.org/10.1021/acs.inorgchem.9b00553

Mondol, R., Snoeken, D. A., Chang, M. C., & Otten, E. (2017). Stable, crystalline boron complexes with mono-, di- and trianionic formazanate ligands. *Chemical Communications*, *53*(3), 513–516. https://doi.org/10.1039/C6CC08166E

Morris, G. M., Ruth, H., Lindstrom, W., Sanner, M. F., Belew, R. K., Goodsell, D. S., & Olson, A. J. (2009). Software news and updates AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *Journal of Computational Chemistry*, *30*(16), 2785–2791. https://doi.org/10.1002/jcc.21256

Mousavi Shaegh, S. A., Nguyen, N. T., Mousavi Ehteshami, S. M., & Chan, S. H. (2012a). A membraneless hydrogen peroxide fuel cell using Prussian Blue as cathode material. *Energy and Environmental Science*, *5*(8), 8225–8228. https://doi.org/10.1039/c2ee21806b

Mu, G., Wen, Z., Wu, J. I. C., & Teets, T. S. (2020). Azo-triazolide bis-cyclometalated Ir(iii) complexes: Via cyclization of 3-cyanodiarylformazanate ligands. *Dalton Transactions*, *49*(12), 3775–3785. https://doi.org/10.1039/c9dt03914g

Mukerjee, D. D., Shukla, S. K., & Chowdhary, B. L. (1981). Synthesis of some new formazans as potential antiviral agents. *Archiv Der Pharmazie*, *314*(12), 991–994.

Mukherjee, B., Mukherjee, M., Park, J. E., & Pyo, S. (2010a). High-performance molecular memory device using Ag-TCNQ crystals grown by solution process. *Journal of Physical Chemistry C*, *114*(1), 567–571. https://doi.org/10.1021/jp907342r

Müller, A., Bögge, H., Diemann, E., Brown, D., O'Shea, S., & Lipunova, G. (1994). A neutral iron(II) complex of 1-Phenyl-3-isopropyl-5-(2-henzoxazolyl) formazan with an interesting molecular and electronic structure. *Naturwissenschaften*, *81*(3), 136–137. https://doi.org/10.1007/BF01131771

Munjal, S., & Khare, N. (2019). Advances in resistive switching based memory devices. *Journal of Physics D: Applied Physics*, *52*(43). https://doi.org/10.1088/1361-6463/ab2e9e

Ndagi, U., Mhlongo, N., & Soliman, M. E. (2017). Metal complexes in cancer therapy – An update from drug design perspective. *Drug Design, Development and Therapy*, *11*, 599–616. https://doi.org/10.2147/DDDT.S119488

Neese, F., Wennmohs, F., Becker, U., & Riplinger, C. (2020). The ORCA quantum chemistry program package. *Journal of Chemical Physics*, *152*(22). https://doi.org/10.1063/5.0004608

Nineham, A. W. (1955a). The chemistry of formazans and tetrazolium salts. *Chemical Reviews*, *55*(2), 355–483. https://doi.org/10.1021/cr50002a004

Niu, G., Kim, H. D., Roelofs, R., Perez, E., Schubert, M. A., Zaumseil, P., Costina, I., & Wenger, C. (2016). Material insights of HfO2-based integrated 1-transistor-1-resistor resistive random access memory devices processed by batch atomic layer deposition. *Scientific Reports*, *6*(May), 1–11. https://doi.org/10.1038/srep28155

Novoa, S., Paquette, J. A., Barbon, S. M., Maar, R. R., & Gilroy, J. B. (2016). Side-chain boron difluoride formazanate polymers: Via ring-opening metathesis polymerization. *Journal of Materials Chemistry C*, *4*(18), 3987–3994. https://doi.org/10.1039/c5tc03287c

Onyango, D. O., Naguleswaran, A., Delaplane, S., Reed, A., Kelley, M. R., Georgiadis, M. M., & Sullivan, W. J. (2011). Base excision repair apurinic/apyrimidinic endonucleases in apicomplexan parasite Toxoplasma gondii. *DNA Repair*, *10*(5), 466–475. https://doi.org/10.1016/j.dnarep.2011.01.011

Ouyang, J., Chu, C. W., Szmanda, C. R., Ma, L., & Yang, Y. (2004). Programmable polymer thin film and non-volatile memory device. *Nature Materials*, *3*(12), 918–922. https://doi.org/10.1038/nmat1269

Ouyang, J., Xu, Y., & Khoo, L. E. (1998). *Reactions of 8-methoxyquinoline [C 10 H 9 ON] and diorganotin dichlorides . Crystal structures of [C 10 H 9 ON · H] 2 Ph 2 SnCl 4 and*. *561*, 143–152.

Pariyar, A., Vijaykumar, G., Bhunia, M., Dey, S. K., Singh, S. K., Kurungot, S., & Mandal, S. K. (2015). Switching Closed-Shell to Open-Shell Phenalenyl: Toward Designing Electroactive Materials. *Journal of the American Chemical Society*, *137*(18), 5955–5960. https://doi.org/10.1021/jacs.5b00272

Parmar, S., Kumar, Y., & Mittal, A. (2010). Synthesis, spectroscopic and pharmacological studies of bivalent copper, zinc and mercury complexes of thiourea. *South African Journal of Chemistry*, *63*(Ii), 123–129.

Paul, N. D., Rana, U., Goswami, S., Goswami, S., & Mondal, T. K. (2012a). Azo anion radical complex of rhodium as a molecular memory switching device: Isolation, characterization, and evaluation of current-voltage characteristics. *Journal of the American Chemical Society*, *134*(15), 6520–6523. https://doi.org/10.1021/ja212197s

Perepichka, D. F., & Bryce, M. R. (2005). Molecules with exceptionally small HOMO-LUMO gaps. In *Angewandte Chemie - International Edition* (Vol. 44, Issue 34, pp. 5370–5373). https://doi.org/10.1002/anie.200500413

Pérez-Rebolledo, A., de Lima, G. M., Speziali, N. L., Piro, O. E., Castellano, E. E., Ardisson, J. D., & Beraldo, H. (2006a). Tin(IV) complexes obtained by reacting 2-benzoylpyridine-derived thiosemicarbazones with SnCl4 and Ph2SnCl2. *Journal of Organometallic Chemistry*, *691*(18), 3919–3930. https://doi.org/10.1016/j.jorganchem.2006.05.046

Pidugu, L. S., Servius, H. W., Sevdalis, S. E., Cook, M. E., Varney, K. M., Pozharski, E., & Drohat, A. C. (2023). Characterizing inhibitors of human AP endonuclease 1. *PLOS ONE*, *18*(1), e0280526-. https://doi.org/10.1371/journal.pone.0280526

Poulost, T. L., Finzelx, B. C., & Howard, A. J. (1987). High-resolution Crystal Structure of Cytochrome P450cam. In *J. Mol. Bid* (Vol. 195).

Pradhan, B., & Das, S. (2008). Role of new bis(2,2′-bipyridyl)(triazolopyridyl)ruthenium(II) complex in the organic bistable memory application. *Chemistry of Materials*, *20*(4), 1209–1211. https://doi.org/10.1021/cm7034135

Praneeth, V. K. K., Ringenberg, M. R., & Ward, T. R. (2012). Redox-active ligands in catalysis. In *Angewandte Chemie - International Edition* (Vol. 51, Issue 41, pp. 10228–10234). https://doi.org/10.1002/anie.201204100

Prasad, S., Dubourdieu, D., Srivastava, A., Kumar, P., & Lall, R. (2021). Metal–curcumin complexes in therapeutics: An approach to enhance pharmacological effects of curcumin. *International Journal of Molecular Sciences*, *22*(13). https://doi.org/10.3390/ijms22137094

Radha, B., Sagade, A. A., & Kulkarni, G. U. (2014). Metal-organic molecular device for non-volatile memory storage. *Applied Physics Letters*, *105*(8). https://doi.org/10.1063/1.4893755

Rao, J. M., Hughes, M. C., & Macero, D. J. (1976). *Voltammetry of Terpyridine and Terosine Complexes of Cobalt(I1) and Iron(I1)* (Vol. 16). Elsevier Sequoia S. A.

Raval, J. P., Patel, P., & Patel, P. S. (2009). In vitro antitubercular activity of novel 3-(4-methoxyphenyl)-1-isonicotinoyl-5-(substituted phenyl) formazans. *Int J Pharm Tech Res*, *1*(4), 1548–1553.

Raval, J. P., Patel, P. R., Patel, N. H., Patel, P. S., Bhatt, V. D., & Patel, K. N. (n.d.). Synthesis, Characeterization and in vitro antibacterial activity of novel 3-(4-methoxyphenyl)-1-isonicotinoyl-5-(substituted phenyl)-formazans. In *International Journal of ChemTech Research CODEN (USA* (Vol. 1, Issue 3).

Redrejo-Rodríguez, M., Vigouroux, A., Mursalimov, A., Grin, I., Alili, D., Koshenov, Z., Akishev, Z., Maksimenko, A., Bissenbaev, A. K., Matkarimov, B. T., Saparbaev, M., Ishchenko, A. A., & Moréra, S. (2016). Structural comparison of AP endonucleases from the exonuclease III family reveals new amino acid residues in human AP endonuclease 1 that are involved in incision of damaged DNA. *Biochimie*, *128–129*, 20–33. https://doi.org/10.1016/j.biochi.2016.06.011

Rehman, M. M., Rehman, H. M. M. U., Gul, J. Z., Kim, W. Y., Karimov, K. S., & Ahmed, N. (2020). Decade of 2D-materials-based RRAM devices: a review. *Science and Technology of Advanced Materials*, *21*(1), 147–186. https://doi.org/10.1080/14686996.2020.1730236

Renkema, W. E., & Stam, C. H. (1983). *1536 Acta Cryst. (1983). C39, 1536-1538*. 1536–1538.

Reserved, A. R. (2001). *Analysis Programs Analysis Programs*. *c*, 1–30.

Rittle, J., & Green, M. T. (n.d.). *Cytochrome P450 Compound I: Capture, Characterization, and C-H Bond Activation Kinetics*. http://science.sciencemag.org/

Sabounchei, S. J., Panahimehr, M., Hosseinzadeh, M., Karamian, R., Asadbegy, M., & Masumi, A. (2014). Mercury(II) complexes of unsymmetric phosphorus ylides: Synthesis, spectroscopic and antibacterial activity studies. *Journal of Molecular Structure*, *1061*(1), 90–96. https://doi.org/10.1016/j.molstruc.2013.12.066

Sah, P., Bidawat, P., Seth, M., & Gharu, C. P. (2014). Synthesis of formazans from Mannich base of 5-(4-chlorophenyl amino)-2-mercapto-1,3,4-thiadiazole as antimicrobial agents. *Arabian Journal of Chemistry*, *7*(2), 181–187. https://doi.org/https://doi.org/10.1016/j.arabjc.2010.10.023

Saini, S., Dwivedi, A., Lodhi, A., Khandelwal, A., & Tiwari, S. P. (2023a). Resistive switching behavior of TiO2/(PVP:MoS2) nanocomposite hybrid bilayer in rigid and flexible RRAM devices. *Memories - Materials, Devices, Circuits and Systems*, *4*(November 2022), 100029. https://doi.org/10.1016/j.memori.2023.100029

Saini, S., Lodhi, A., Dwivedi, A., Khandelwal, A., & Tiwari, S. P. (2022). Resistive Switching Behavior of TiO2/(PVP:MoS2) Nanocomposite Bilayer Hybrid RRAM. In *Communications in Computer and Information Science: Vol. 1687 CCIS* (Issue March 2023). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-21514-8_39

Saini, S., Lodhi, A., Dwivedi, A., Khandelwal, A., & Tiwari, S. P. (2023a). Enhanced Resistive Switching in Flexible Hybrid RRAM Devices With PVK:MoS2/TiO2Bilayer. *IEEE Transactions on Electron Devices*, *70*(1), 53–58. https://doi.org/10.1109/TED.2022.3221355

Sakamoto, T., Sunamura, H., Kawaura, H., Hasegawa, T., Nakayama, T., & Aonob, M. (2003). Nanometer-scale switches using copper sulfide. *Applied Physics Letters*, *82*(18), 3032–3034. https://doi.org/10.1063/1.1572964

Sangwan, V. K., Jariwala, D., Kim, I. S., Chen, K. S., Marks, T. J., Lauhon, L. J., & Hersam, M. C. (2015). Gate-tunable memristive phenomena mediated by grain boundaries in single-layer MoS2. *Nature Nanotechnology*, *10*(5), 403–406. https://doi.org/10.1038/nnano.2015.56

Sanli, A. E., & Aytaç, A. (2011). Response to Disselkamp: Direct peroxide/peroxide fuel cell as a novel type fuel cell. *International Journal of Hydrogen Energy*, *36*(1), 869–875. https://doi.org/10.1016/j.ijhydene.2010.09.038

Sato, O., Tao, J., & Zhang, Y.-Z. (2007). Control of Magnetic Properties through External Stimuli. *Angewandte Chemie International Edition*, *46*(13), 2152–2187. https://doi.org/https://doi.org/10.1002/anie.200602205

Sawa, A. (2008). Resistive switching in transition metal oxides. *Materials Today*, *11*(6), 28–36. https://doi.org/10.1016/S1369-7021(08)70119-6

'Schrödinger, L. ', 'DeLano W. '. (n.d.). *The PyMOL Molecular Graphics System* (2.4.0). Schrodinger, LLC.

Scott, J. C., & Bozano, L. D. (2007). Nonvolatile memory elements based on organic materials. *Advanced Materials*, *19*(11), 1452–1463. https://doi.org/10.1002/adma.200602564

Seo, K., Konchenko, A. V., Lee, J., Gyeong, S. B., & Lee, H. (2008a). Molecular conductance switch-on of single ruthenium complex molecules. *Journal of the American Chemical Society*, *130*(8), 2553–2559. https://doi.org/10.1021/ja077089u

Shao, J. Y., Cui, B. Bin, Tang, J. H., & Zhong, Y. W. (2019a). Resistive memory switching of transition-metal complexes controlled by ligand design. In *Coordination Chemistry Reviews* (Vol. 393, pp. 21–36). Elsevier B.V. https://doi.org/10.1016/j.ccr.2019.05.010

Shawali, A. S., & Samy, N. A. (2015a). Functionalized formazans: A review on recent progress in their pharmacological activities. In *Journal of Advanced Research* (Vol. 6, Issue 3, pp. 241–254). Elsevier B.V. https://doi.org/10.1016/j.jare.2014.07.001

Sheldrick, G. M. (1997). *No Title*.

Shringi, A. K., Betal, A., Sahu, S., & Kumar, M. (2021). Write-once-read-many-times resistive switching behavior of amorphous barium titanate based device with very high on-off ratio and stability. *Applied Physics Letters*, *118*(26). https://doi.org/10.1063/5.0050448

Sigeikin, G. I., Lipunova, G. N., & Pervova, I. G. (2006). Formazans and their metal complexes. *Russian Chemical Reviews*, *75*(10), 885–900. https://doi.org/10.1070/rc2006v075n10abeh003612

Singh, N., Bhati, S. K., & Kumar, A. (2008). Thiazolyl/oxazolyl formazanyl indoles as potent anti-inflammatory agents. *European Journal of Medicinal Chemistry*, *43*(11), 2597–2609. https://doi.org/10.1016/j.ejmech.2007.12.024

Singh, V., Kundu, A., Singh, K., & Adhikari, D. (2022a). Redox noninnocence of the formazanate ligand applied to catalytic formation of α-ketoamides. *Chemical Communications*, *58*(46), 6630–6633. https://doi.org/10.1039/d2cc02089k

Sovari, S. N., & Zobi, F. (2020). Recent Studies on the Antimicrobial Activity of Transition Metal Complexes of Groups 6–12. *Chemistry (Switzerland)*, *2*(2), 418–452. https://doi.org/10.3390/chemistry2020026

Spek, A. L. (2015). PLATON SQUEEZE: A tool for the calculation of the disordered solvent contribution to the calculated structure factors. *Acta Crystallographica Section C: Structural Chemistry*, *71*, 9–18. https://doi.org/10.1107/S2053229614024929

Srivastava, V. K., & Kumar, A. (2003). Synthesis of newer indolyl thiadiazoles and their thiazolidinones and formazans as potential anticonvulsant agents. *Indian Journal of Pharmaceutical Sciences*, *65*(4), 358–362.

Stachowiak, A., Kędzierski, K., Barszcz, B., Kotwica, K., & Wróbel, D. (2021). Determination of phthalocyanines energy gaps based on spectroscopic and electrochemical studies and DFT calculations. *Journal of Molecular Liquids*, *341*. https://doi.org/10.1016/j.molliq.2021.116800

Stoliar, P., Diener, P., Tranchant, J., Corraze, B., Brière, B., Ta-Phuoc, V., Bellec, N., Fourmigué, M., Lorcy, D., Janod, E., & Cario, L. (2015a). Resistive switching induced by electric pulses in a single-component molecular Mott insulator. *Journal of Physical Chemistry C*, *119*(6), 2983–2988. https://doi.org/10.1021/jp512810e

Synthesis, E., Compounds, H., & Behaviour, T. R. (n.d.). *166 J C.S. Perkin I1*. *166*, 166–171.

Takaichi, J., Morimoto, Y., Ohkubo, K., Shimokawa, C., Hojo, T., Mori, S., Asahara, H., Sugimoto, H., Fujieda, N., Nishiwaki, N., Fukuzumi, S., & Itoh, S. (2014). Redox chemistry of nickel(II) complexes supported by a series of noninnocent β-diketiminate ligands. *Inorganic Chemistry*, *53*(12), 6159–6169. https://doi.org/10.1021/ic5006693

Teo, S. B., Teo, H. S., Yeow, L. M., Chang, S. T., Teoh, S. G., & Tiekink, E. R. T. (2000). Protonated ligand outer-sphere complex formed in the reaction of 6-methylpyridine-2-carboxaldehyde phenylhydrazone with Ph2SnCl2. A true case of hydrogen bonding involving an Sn-Cl bond. *Journal of Coordination Chemistry*, *49*(4), 261–268. https://doi.org/10.1080/00958970008022236

Teoh, S.-G., Teo, S.-B., & Yeap, G.-Y. (1992). SYNTHESES OF STANNATE (LH + = PROTONATED BENZALIDENEANILINE SCHIFF BASES). CRYSTAL STRUCTURE OF THE TETRACHLORODIPHENYLSTANNATE (IV) SALT [L ′ H +] 2 [Ph2SnC ~] 2- (L ′ = N- (44IYDROXYBENZALIDENE) -4- METHOXYANILINE }, DERIVED FROM PHENYLTIN TR. *Polyhedron*, *11*(18), 2351–2356.

Trans, D., Addison, A. W., & Rao, T. N. (1984). *Synthesis, Structure, and Spectroscopic Properties*. *1*.

Travieso-Puente, R., Broekman, J. O. P., Chang, M. C., Demeshko, S., Meyer, F., & Otten, E. (2016a). Spin-Crossover in a pseudo-tetrahedral bis(formazanate) iron complex. *Journal of the American Chemical Society*, *138*(17), 5503–5506. https://doi.org/10.1021/jacs.6b01552

Travieso-Puente, R., Chang, M. C., & Otten, E. (2014). Alkali metal salts of formazanate ligands: Diverse coordination modes as a result of the nitrogen-rich [NNCNN] ligand backbone. *Dalton Transactions*, *43*(48), 18035–18041. https://doi.org/10.1039/c4dt02578d

Trott, O., & Olson, A. J. (2010). AutoDock Vina: Improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *Journal of Computational Chemistry*, *31*(2), 455–461. https://doi.org/10.1002/jcc.21334

Tsai, Y. C. (2012). The chemistry of univalent metal β-diketiminates. In *Coordination Chemistry Reviews* (Vol. 256, Issues 5–8, pp. 722–758). https://doi.org/10.1016/j.ccr.2011.12.012

Tseng, R. J., Huang, J., Ouyang, J., Kaner, R. B., & Yang, Y. (2005). Polyaniline nanofiber/gold nanoparticle nonvolatile memory. *Nano Letters*, *5*(6), 1077–1080. https://doi.org/10.1021/nl0505871

Tseng, R. J., Tsai, C., Ma, L., Ouyang, J., Ozkan, C. S., & Yang, Y. (2006). Digital memory device based on tobacco mosaic virus conjugated with nanoparticles. *Nature Nanotechnology*, *1*(1), 72–77. https://doi.org/10.1038/nnano.2006.55

Turkoglu, G., & Berber, H. (2016). Novel formazan derivatives containing phenylsulfanyl and carbonyl units: Synthesis, optical and electrochemical properties. *RSC Advances*, *6*(98), 96065–96078. https://doi.org/10.1039/c6ra23008c

van der Vlugt, J. I. (2019). Radical-Type Reactivity and Catalysis by Single-Electron Transfer to or from Redox-Active Ligands. *Chemistry - A European Journal*, *25*(11), 2651–2662. https://doi.org/10.1002/chem.201802606

Varun, I., Bharti, D., Mahato, A. K., Raghuwanshi, V., & Tiwari, S. P. (2020). High-Performance Flexible Resistive RAM with PVP:GO Composite and Ultrathin HfOx Hybrid Bilayer. *IEEE Transactions on Electron Devices*, *67*(3), 949–954. https://doi.org/10.1109/TED.2020.2964910

Vinod Kumar Vashistha, Kumar, A., Tevatia, P., & Das, D. K. (2021). Synthesis, Characterization, Electrochemical and Antimicrobial Studies of Iron(II) and Nickel(II) Macrocyclic Complexes. *Russian Journal of Electrochemistry*, *57*(4), 348–356. https://doi.org/10.1134/S1023193521040091

Voloshin, Y. Z., Chornenka, N. V., Varzatskii, O. A., Belov, A. S., Grigoriev, S. A., Pushkarev, A. S., Millet, P., Kalinichenko, V. N., Belaya, I. G., Bugaenko, M. G., & Dedov, A. G. (2018). Immobilization of functionalized iron(II) clathrochelates with terminal (poly)aromatic group(s) on carbonaceous materials and their detailed cyclic voltammetry study. *Electrochimica Acta*, *269*, 590–609. https://doi.org/10.1016/j.electacta.2018.03.030

Vos, T., Lim, S. S., Abbafati, C., Abbas, K. M., Abbasi, M., Abbasifard, M., Abbasi-Kangevari, M., Abbastabar, H., Abd-Allah, F., Abdelalim, A., Abdollahi, M., Abdollahpour, I., Abolhassani, H., Aboyans, V., Abrams, E. M., Abreu, L. G., Abrigo, M. R. M., Abu-Raddad, L. J., Abushouk, A. I., … Murray, C. J. L. (2020). Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet*, *396*(10258), 1204–1222. https://doi.org/10.1016/S0140-6736(20)30925-9

Wallace, A. C., Laskowski, R. A., & Thornton, J. M. (1995). LIGPLOT: a program to generate schematic diagrams of protein-ligand interactions The LIGPLOT program automatically generates schematic 2-D representations of protein-ligand complexes from standard Protein Data Bank file input. In *Protein Engineering* (Vol. 8, Issue 2). https://academic.oup.com/peds/article-abstract/8/2/127/1561050

Wang, M., He, N., Tang, R., Li, F., Liu, S., Xu, F., Zhao, J., Tong, Y., & Zhao, Q. (2023). Rational design of a Ru(ii) complex with a donor-acceptor-donor structure for organic resistive memory devices. *Dalton Transactions*, *52*(22), 7620–7625. https://doi.org/10.1039/d3dt00539a

Wedig, A., Luebben, M., Cho, D. Y., Moors, M., Skaja, K., Rana, V., Hasegawa, T., Adepalli, K. K., Yildiz, B., Waser, R., & Valov, I. (2016). Nanoscale cation motion in TaOx, HfOx and TiOx memristive systems. *Nature Nanotechnology*, *11*(1), 67–74. https://doi.org/10.1038/nnano.2015.221

Weigend, F. (2006). Accurate Coulomb-fitting basis sets for H to Rn. *Physical Chemistry Chemical Physics*, *8*(9), 1057–1065. https://doi.org/10.1039/b515623h

Weigend, F., & Ahlrichs, R. (2005a). Balanced basis sets of split valence, triple zeta valence and quadruple zeta valence quality for H to Rn: Design and assessment of accuracy. *Physical Chemistry Chemical Physics*, *7*(18), 3297–3305. https://doi.org/10.1039/b508541a

Weinhold, F., & Landis, C. R. (2005). *Valency and Bonding: A Natural Bond Orbital Donor-Acceptor Perspective*. Cambridge University Press.

Whitaker, A. M., Flynn, T. S., & Freudenthal, B. D. (2018). Molecular snapshots of APE1 proofreading mismatches and removing DNA damage. *Nature Communications*, *9*(1), 399. https://doi.org/10.1038/s41467-017-02175-y

White, M. F., & Allers, T. (n.d.). *DNA Repair in the Archaea – an emerging picture*. https://doi.org/10.1093/femsre/fuy020/4993143

Wiegand, I.; Hilpert, K.; Hancock, R. E. W. Agar and Broth Dilution Methods to Determine the Minimal Inhibitory Concentration (MIC) of Antimicrobial Substances. Nat Protoc 2008, 3 (2), 163–175. . (n.d.).

Wong, C. L., Ng, M., Hong, E. Y. H., Wong, Y. C., Chan, M. Y., & Yam, V. W. W. (2020). Photoresponsive Dithienylethene-Containing Tris(8-hydroxyquinolinato)aluminum(III) Complexes with Photocontrollable Electron-Transporting Properties for Solution-Processable Optical and Organic Resistive Memory Devices. *Journal of the American Chemical Society*, *142*(28), 12193–12206. https://doi.org/10.1021/jacs.0c03057

Wong, H. S. P., Lee, H. Y., Yu, S., Chen, Y. S., Wu, Y., Chen, P. S., Lee, B., Chen, F. T., & Tsai, M. J. (2012). Metal-oxide RRAM. *Proceedings of the IEEE*, *100*(6), 1951–1970. https://doi.org/10.1109/JPROC.2012.2190369

Xia, C., Liu, C., Zhou, F., Gu, P., Li, H., He, J., Li, Y., Xu, Q., & Lu, J. (2019). Tunable Electronic Memory Performances Based on Poly(Triphenylamine) and Its Metal Complex via a SuFEx Click Reaction. *Chemistry - An Asian Journal*, *14*(23), 4296–4302. https://doi.org/10.1002/asia.201901234

Yamada, Y., Fukunishi, Y., Yamazaki, S. I., & Fukuzumi, S. (2010). Hydrogen peroxide as sustainable fuel: Electrocatalysts for production with a solar cell and decomposition with a fuel cell. *Chemical Communications*, *46*(39), 7334–7336. https://doi.org/10.1039/c0cc01797c

Yamada, Y., Yoneda, M., & Fukuzumi, S. (2014). *High Power Density of One-Compartment H 2 O 2 Fuel Cells Using Pyrazine-Bridged Fe[M*. 2013–2015.

Yamada, Y., Yoneda, M., & Fukuzumi, S. (2015). High and robust performance of H2O2 fuel cells in the presence of scandium ion. *Energy and Environmental Science*, *8*(6), 1698–1701. https://doi.org/10.1039/c5ee00748h

Yamazaki, S. ichi, Siroma, Z., Senoh, H., Ioroi, T., Fujiwara, N., & Yasuda, K. (2008). A fuel cell with selective electrocatalysts using hydrogen peroxide as both an electron acceptor and a fuel. *Journal of Power Sources*, *178*(1), 20–25. https://doi.org/10.1016/j.jpowsour.2007.12.013

Yang, F., Cheng, K., Wu, T., Zhang, Y., Yin, J., Wang, G., & Cao, D. (2013). Preparation of Au nanodendrites supported on carbon fiber cloth and its catalytic performance to H2O2 electroreduction and electrooxidation. *RSC Advances*, *3*(16), 5483–5490. https://doi.org/10.1039/c3ra23415k

Yang, J. J., Pickett, M. D., Li, X., Ohlberg, D. A. A., Stewart, D. R., & Williams, R. S. (2008). Memristive switching mechanism for metal/oxide/metal nanodevices. *Nature Nanotechnology*, *3*(7), 429–433. https://doi.org/10.1038/nnano.2008.160

Yang, Y., Ouyang, J., Ma, L., Tseng, R. J. H., & Chu, C. W. (2006). Electrical switching and bistability in organic/polymeric thin films and memory devices. *Advanced Functional Materials*, *16*(8), 1001–1014. https://doi.org/10.1002/adfm.200500429

Yoshida, M., Suzuki, R., Zhang, Y., Nakano, M., & Iwasa, Y. (2015). Memristive phase switching in two-dimensional 1T-TaS2 crystals. *Science Advances*, *1*(9), 1–7. https://doi.org/10.1126/sciadv.1500606

Yousef, T. A., Ahmed, S. F., El-Gammal, O. A., & Abu El-Reash, G. M. (2015). Structural, spectral, thermal and biological studies on (Z)-N-benzoyl-N'-(2-oxo-2-(phenylamino)acetyl)carbamohydrazonothioic acid (H2PABT) and its Cd(II), Hg(II), Zn(II) and U(VI)O22+ complexes. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, *146*, 228–239. https://doi.org/10.1016/j.saa.2015.01.128

Zahoor, F., Azni Zulkifli, T. Z., & Khanday, F. A. (2020a). Resistive Random Access Memory (RRAM): an Overview of Materials, Switching Mechanism, Performance, Multilevel Cell (mlc) Storage, Modeling, and Applications. In *Nanoscale Research Letters* (Vol. 15, Issue 1). Springer. https://doi.org/10.1186/s11671-020-03299-9

Zhou, Y., Han, S. T., Chen, X., Wang, F., Tang, Y. B., & Roy, V. A. L. (2014). An upconverted photonic nonvolatile memory. *Nature Communications*, *5*, 1–8. https://doi.org/10.1038/ncomms5720

Zhu, F., Shi, Z., Qin, C., Tao, L., Liu, X., Xu, F., Zhang, L., Song, Y., Liu, X., Zhang, J., Han, B., Zhang, P., & Chen, Y. (2012). Therapeutic target database update 2012: A resource for facilitating target-oriented drug discovery. *Nucleic Acids Research*, *40*(D1). https://doi.org/10.1093/nar/gkr797

Zhuang, X. D., Chen, Y., Liu, G., Li, P. P., Zhu, C. X., Kang, E. T., Neoh, K. G., Zhang, B., Zhu, J. H., & Li, Y. X. (2010). Conjugated-polymer-functionalized graphene oxide: Synthesis and nonvolatile rewritable memory effect. *Advanced Materials*, *22*(15), 1731–1735. https://doi.org/10.1002/adma.200903469