

References

- A Arefin, U., Razib, M., & Billah, B. (2016). Characterization & Analysis of III-V Multi-Junction PV Solar Cells. *Technical Report, Northern University Bangladesh, January*. <https://doi.org/10.13140/RG.2.1.4344.4242>
- Allen, L. C. (1989). Electronegativity Is the Average One-Electron Energy of the Valence-Shell Electrons in Ground-State Free Atoms. *Journal of the American Chemical Society*, 111(25), 9003–9014. <https://doi.org/10.1021/ja00207a003>
- Allen, P. B., & Feldman, J. L. (1989). Thermal Conductivity of Glasses: Theory and Application to Amorphous Si. *Phys. Rev. Lett.*, 62(6), 645–648. <https://doi.org/10.1103/PhysRevLett.62.645>
- Allen, P. B., & Feldman, J. L. (1993). Thermal conductivity of disordered harmonic solids. *Phys. Rev. B*, 48(17), 12581–12588. <https://doi.org/10.1103/PhysRevB.48.12581>
- Altermatt, P. P. (2011). Models for numerical device simulations of crystalline silicon solar cells - A review. *Journal of Computational Electronics*, 10(3), 314–330. <https://doi.org/10.1007/s10825-011-0367-6>
- An, C. J., Kang, Y. H., Lee, A.-Y., Jang, K.-S., Jeong, Y., & Cho, S. Y. (2016). Foldable Thermoelectric Materials: Improvement of the Thermoelectric Performance of Directly Spun CNT Webs by Individual Control of Electrical and Thermal Conductivity. *ACS Applied Materials & Interfaces*, 8(34), 22142–22150. <https://doi.org/10.1021/acsami.6b04485>
- Anderson, O. L. (1963). a Simplified Method for Calculating the. *J. Phys. Chem. Solids*, 24, 909–917.
- Aryasetiawan, F., & Gunnarsson, O. (1998). The GW method. *Reports on Progress in Physics*, 61(3), 237–312. <https://doi.org/10.1088/0034-4885/61/3/002>
- Ashcroft, N. W. ; N. D. M. (1976). *Solid State Physics*. Harcourt College Publishers.
- Barone, V. T., Dumre, B. B., Tuttle, B. R., & Khare, S. V. (2022). Optoelectronic and mechanical properties of the orthogonal and tetragonal Cu₂CdGe(S xSe1- x)₄semiconducting system via first principles methods. *Journal of Applied Physics*, 131(20). <https://doi.org/10.1063/5.0088985>
- Baroni, S., De Gironcoli, S., Dal Corso, A., & Giannozzi, P. (2001). Phonons and related crystal properties from density-functional perturbation theory. *Reviews of Modern Physics*, 73(2), 515–562. <https://doi.org/10.1103/RevModPhys.73.515>
- Baroni, S., Giannozzi, P., & Testa, A. (1987). Green's-function approach to linear response in solids. *Phys. Rev. Lett.*, 58(18), 1861–1864. <https://doi.org/10.1103/PhysRevLett.58.1861>
- Bayikadi, K. S., Wu, C. T., Chen, L.-C., Chen, K.-H., Chou, F.-C., & Sankar, R. (2020). Synergistic optimization of thermoelectric performance of Sb doped GeTe with a strained domain and domain boundaries. *J. Mater. Chem. A*, 8(10), 5332–5341. <https://doi.org/10.1039/D0TA00628A>
- Bin, S., Han, Z., Jiang, Y., Zhuang, H.-L., Yu, J., Pei, J., Hu, H., Li, J.-W., He, Y., B.-P. Zhang, Z., & Li, J. (2023). Re-Doped p-Type Thermoelectric SnSe Polycrystals with Enhanced Power Factor and High ZT > 2. *Advanced Functional Materials*, 33. <https://doi.org/10.1002/adfm.202301971>
- Blaha, P., Schwarz, K., Tran, F., Laskowski, R., Madsen, G. K. H., & Marks, L. D. (2020). WIEN2k: An APW+lo program for calculating the properties of solids. *The Journal of Chemical Physics*, 152(7), 074101. <https://doi.org/10.1063/1.5143061>
- Born, M., & Oppenheimer, R. (1927). Zur Quantentheorie der Molekeln. *Annalen Der Physik*, 389(20), 457–484. <https://doi.org/https://doi.org/10.1002/andp.19273892002>
- Burgelman, M., Nollet, P., & Degraeve, S. (2000). Modelling polycrystalline semiconductor solar cells. *Thin Solid Films*, 361, 527–532. [https://doi.org/10.1016/S0040-6090\(99\)00825-1](https://doi.org/10.1016/S0040-6090(99)00825-1)
- Burgelman, Marc, Decock, K., Niemegeers, A., Verschraegen, J., & Degraeve, S. (2018). *SCAPS manual. january*.
- Cao, Y., Su, X., Meng, F., Bailey, T. P., Zhao, J., Xie, H., He, J., Uher, C., & Tang, X. (2020). Origin of the Distinct Thermoelectric Transport Properties of Chalcopyrite ABTe₂ (A = Cu, Ag; B = Ga, In). *Advanced Functional Materials*, 30(51), 2005861. <https://doi.org/https://doi.org/10.1002/adfm.202005861>

- Chang, C., Wu, M., He, D., Pei, Y., Wu, C.-F., Wu, X., Yu, H., Zhu, F., Wang, K., Chen, Y., Huang, L., Li, J.-F., He, J., & Zhao, L.-D. (2018). 3D charge and 2D phonon transports leading to high out-of-plane ZT in n-type SnSe crystals. *Science*, 360(6390), 778–783. <https://doi.org/10.1126/science.aaq1479>
- Chantana, J., Kawano, Y., Nishimura, T., Kimoto, Y., Kato, T., Sugimoto, H., & Minemoto, T. (2020). Transparent Electrode and Buffer Layer Combination for Reducing Carrier Recombination and Optical Loss Realizing over a 22%-Efficient Cd-Free Alkaline-Treated Cu(In,Ga)(S,Se)₂ Solar Cell by the All-Dry Process. *ACS Applied Materials and Interfaces*, 12(19), 22298–22307. <https://doi.org/10.1021/acsami.0c01980>
- Chapin, D. M., Fuller, C. S., & Pearson, G. L. (1954). A New Silicon p-n Junction Photocell for Converting Solar Radiation into Electrical Power. *Journal of Applied Physics*, 25(5), 676–677. <https://doi.org/10.1063/1.1721711>
- Chen, J., Klein, J., Wu, Y., Xing, S., Flammang, R., Heibel, M., & Zuo, L. (2016). A Thermoelectric Energy Harvesting System for Powering Wireless Sensors in Nuclear Power Plants. *IEEE Transactions on Nuclear Science*, 63(5), 2738–2746. <https://doi.org/10.1109/TNS.2016.2606090>
- Chen, P., Wu, H., Zhang, B., Zhou, Z., Zheng, S., Dai, L., Huo, Y., Zhang, D., Yan, Y., Peng, K., Han, G., Lu, X., Zhou, X., & Wang, G. (2023). Intrinsically Low Lattice Thermal Conductivity and Anisotropic Thermoelectric Performance in In-doped GeSb₂Te₄ Single Crystals. *Advanced Functional Materials*, 33, 2211281. <https://doi.org/10.1002/adfm.202211281>
- Chen, S., Walsh, A., Gong, X. G., & Wei, S. H. (2013). Classification of lattice defects in the kesterite Cu₂ZnSnS₄ and Cu₂ZnSnSe₄ earth-abundant solar cell absorbers. *Advanced Materials*, 25(11), 1522–1539. <https://doi.org/10.1002/adma.201203146>
- Chen, S., Walsh, A., Yang, J. H., Gong, X. G., Sun, L., Yang, P. X., Chu, J. H., & Wei, S. H. (2011). Compositional dependence of structural and electronic properties of Cu₂ZnSn(S,Se)₄ alloys for thin film solar cells. *Physical Review B - Condensed Matter and Materials Physics*, 83(12), 125201. <https://doi.org/10.1103/PhysRevB.83.125201>
- Choi, J., Cho, K., Yun, J., Park, Y., Yang, S., & Kim, S. (2017). Large Voltage Generation of Flexible Thermoelectric Nanocrystal Thin Films by Finger Contact. *Advanced Energy Materials*, 7(21), 1700972. <https://doi.org/10.1002/aenm.201700972>
- Choubrac, L., Bär, M., Kozina, X., Félix, R., Wilks, R. G., Brammertz, G., Levchenko, S., Arzel, L., Barreau, N., Harel, S., Meuris, M., & Vermang, B. (2020). Sn Substitution by Ge: Strategies to Overcome the Open-Circuit Voltage Deficit of Kesterite Solar Cells. *ACS Applied Energy Materials*, 3(6), 5830–5839. <https://doi.org/10.1021/acsaem.0c00763>
- Christoph Alexander Meßmer. (2022). *Numerical Simulation and Analysis of High-Efficiency Silicon Solar Cells and Tandem Devices*. Universität Freiburg.
- Courel, M., Andrade-Arvizu, J. A., & Vigil-Galán, O. (2016). The role of buffer/kesterite interface recombination and minority carrier lifetime on kesterite thin film solar cells. *Materials Research Express*, 3(9), 095501. <https://doi.org/10.1088/2053-1591/3/9/095501>
- Cui, X. P., Ma, Q., Zhou, W. H., Kou, D. X., Zhou, Z. J., Meng, Y. N., Qi, Y. F., Yuan, S. J., Han, L. T., & Wu, S. X. (2022). Suppressing interface recombination in CZTSSe solar cells by simple selenization with synchronous interface gradient doping. *Nanoscale*, 15(1), 185–194. <https://doi.org/10.1039/d2nr06115e>
- D.M.Rowe. (1995). *CRC Handbook of Thermoelectrics*. CRC Press.
- Deng, H., Sun, Q., Yang, Z., Li, W., Yan, Q., Zhang, C., Zheng, Q., Wang, X., Lai, Y., & Cheng, S. (2021). Novel symmetrical bifacial flexible CZTSSe thin film solar cells for indoor photovoltaic applications. *Nature Communications*, 12(1), 3107. <https://doi.org/10.1038/s41467-021-23343-1>
- Di Lucente, E., Simoncelli, M., & Marzari, N. (2023). Crossover from Boltzmann to Wigner thermal transport in thermoelectric skutterudites. *Phys. Rev. Res.*, 5(3), 33125. <https://doi.org/10.1103/PhysRevResearch.5.033125>
- Dieter K. Schroder. (2006). *SEMICONDUCTOR MATERIAL AND DEVICE CHARACTERIZATION*. A JOHN WILEY & SONS, INC., PUBLICATION.
- Ding, Y., Qiu, Y., Cai, K., Yao, Q., Chen, S., Chen, L., & He, J. (2019). High performance n-type

- Ag₂Se film on nylon membrane for flexible thermoelectric power generator. *Nature Communications*, 10(1), 841. <https://doi.org/10.1038/s41467-019-08835-5>
- Dong, Y., Wojtas, L., Martin, J., & Nolas, G. S. (2015). Synthesis, crystal structure, and transport properties of quaternary tetrahedral chalcogenides. *J. Mater. Chem. C*, 3(40), 10436–10441. <https://doi.org/10.1039/C5TC01606A>
- Eberhard Engel, R. M. D. (2011). *Density Functional Theory*. Springer Berlin, Heidelberg.
- Ganose, A. M., Park, J., Faghaninia, A., Woods-Robinson, R., Persson, K. A., & Jain, A. (2021). Efficient calculation of carrier scattering rates from first principles. *Nature Communications*, 12(1), 2222. <https://doi.org/10.1038/s41467-021-22440-5>
- Gansukh, M., Li, Z., Rodriguez, M. E., Engberg, S., Martinho, F. M. A., Mariño, S. L., Stamate, E., Schou, J., Hansen, O., & Canulescu, S. (2020). Energy band alignment at the heterointerface between CdS and Ag-alloyed CZTS. *Scientific Reports*, 10(1), 1–11. <https://doi.org/10.1038/s41598-020-73828-0>
- Garg, J., Bonini, N., Kozinsky, B., & Marzari, N. (2011). Role of Disorder and Anharmonicity in the Thermal Conductivity of Silicon-Germanium Alloys: A First-Principles Study. *Phys. Rev. Lett.*, 106(4), 45901. <https://doi.org/10.1103/PhysRevLett.106.045901>
- Gava, V., Martinotto, A. L., & Perottoni, C. A. (2012). First-Principles Mode Grüneisen Parameters and Negative Thermal Expansion in α -ZrW₂O₈. *Phys. Rev. Lett.*, 109(19), 195503. <https://doi.org/10.1103/PhysRevLett.109.195503>
- Georges, A., Kotliar, G., Krauth, W., & Rozenberg, M. J. (1996). Dynamical mean-field theory of strongly correlated fermion systems and the limit of infinite dimensions. *Rev. Mod. Phys.*, 68(1), 13–125. <https://doi.org/10.1103/RevModPhys.68.13>
- Gershon, T., Sardashti, K., Gunawan, O., Mankad, R., Singh, S., Lee, Y. S., Ott, J. A., Kummel, A., & Haight, R. (2016). Photovoltaic Device with over 5% Efficiency Based on an n-Type Ag₂ZnSnSe₄ Absorber. *Advanced Energy Materials*, 6(22), 1601182. <https://doi.org/10.1002/aenm.201601182>
- Goetzberger, A., Knobloch, J., Vos, B., & Waddington, R. (2014). Crystalline silicon solar cells. In *Crystalline Silicon Solar Cells*. <https://doi.org/10.1002/9781119033769>
- Gonze, X. (1995). Perturbation expansion of variational principles at arbitrary order. *Phys. Rev. A*, 52(2), 1086–1095. <https://doi.org/10.1103/PhysRevA.52.1086>
- Green, M. A., Hishikawa, Y., Dunlop, E. D., Levi, D. H., Hohl-Ebinger, J., & Ho-Baillie, A. W. Y. (2018). Solar cell efficiency tables (version 51). *Progress in Photovoltaics: Research and Applications*, 26(1), 3–12. <https://doi.org/10.1002/pip.2978>
- Guo, H., Meng, R., Wang, G., Wang, S., Wu, L., Li, J., Wang, Z., Dong, J., Hao, X., & Zhang, Y. (2022). Band-gap-graded Cu₂ZnSn(S,Se)₄ drives highly efficient solar cells. *Energy and Environmental Science*, 15(2), 693–704. <https://doi.org/10.1039/d1ee03134a>
- Gupta, G. K., & Dixit, A. (2018). Theoretical studies of single and tandem Cu₂ZnSn(S/Se)₄ junction solar cells for enhanced efficiency. *Optical Materials*, 82, 11–20. <https://doi.org/10.1016/j.optmat.2018.05.030>
- Hadke, S., Huang, M., Chen, C., Tay, Y. F., Chen, S., Tang, J., & Wong, L. (2022). Emerging Chalcogenide Thin Films for Solar Energy Harvesting Devices. *Chemical Reviews*, 122(11), 10170–10265. <https://doi.org/10.1021/acs.chemrev.1c00301>
- Hadke, S., Levchenko, S., Sai Gautam, G., Hages, C. J., Márquez, J. A., Izquierdo-Roca, V., Carter, E. A., Unold, T., & Wong, L. H. (2019). Suppressed Deep Traps and Bandgap Fluctuations in Cu₂CdSnS₄ Solar Cells with ≈8% Efficiency. *Advanced Energy Materials*, 9(45), 1902509. <https://doi.org/10.1002/aenm.201902509>
- Haight, R., Barkhouse, A., Gunawan, O., Shin, B., Copel, M., Hopstaken, M., & Mitzi, D. B. (2011). Band alignment at the Cu₂ZnSn(S_xSe_{1-x})₄/CdS interface. *Applied Physics Letters*, 98(25). <https://doi.org/10.1063/1.3600776>
- Hall, R. N. (1952). Electron-Hole Recombination in Germanium. *Phys. Rev.*, 87(2), 387. <https://doi.org/10.1103/PhysRev.87.387>
- Hamid Elsheikh, M., Shnawah, D. A., Sabri, M. F. M., Said, S. B. M., Haji Hassan, M., Ali Bashir, M. B., & Mohamad, M. (2014). A review on thermoelectric renewable energy: Principle

- parameters that affect their performance. *Renewable and Sustainable Energy Reviews*, 30, 337–355. <https://doi.org/10.1016/j.rser.2013.10.027>
- Hardy, R. J. (1963). Energy-Flux Operator for a Lattice. *Phys. Rev.*, 132(1), 168–177. <https://doi.org/10.1103/PhysRev.132.168>
- Hartiti, B., Joël, H., Nkuissi, T., & Fadili, S. (2017). Enhancement of Output Parameters of Cu₂ZnSnS₄ (CZTS)-based Solar Cells: Numerical simulation using AMPS-1D and SCAPS-1D programs. In *Special Issue on Applied Physics in Africa*.
- He, J., Amsler, M., Xia, Y., Naghavi, S. S., Hegde, V. I., Hao, S., Goedecker, S., Ozoli, V., & Wolverton, C. (2016). Ultralow Thermal Conductivity in Full Heusler Semiconductors. *Phys. Rev. Lett.*, 117(4), 46602. <https://doi.org/10.1103/PhysRevLett.117.046602>
- Heinrich, C. P., Day, T. W., Zeier, W. G., Snyder, G. J., & Tremel, W. (2014). Effect of Isovalent Substitution on the Thermoelectric Properties of the Cu₂ZnGeSe₄-xS_x Series of Solid Solutions. *Journal of the American Chemical Society*, 136(1), 442–448. <https://doi.org/10.1021/ja410753k>
- Henkelman, G., Arnaldsson, A., & Jónsson, H. (2006). A fast and robust algorithm for Bader decomposition of charge density. *Computational Materials Science*, 36(3), 354–360. <https://doi.org/10.1016/j.commatsci.2005.04.010>
- Hohenberg, P., & Kohn, W. (1964). Inhomogeneous Electron Gas. *Physical Review*, 136(3B), B864–B871. <https://doi.org/10.1103/PhysRev.136.B864>
- Hong, F., Lin, W., Meng, W., & Yan, Y. (2016a). Trigonal Cu₂-II-Sn-VI₄ (II = Ba, Sr and VI = S, Se) quaternary compounds for earth-abundant photovoltaics. *Physical Chemistry Chemical Physics*, 18(6), 4828–4834. <https://doi.org/10.1039/c5cp06977g>
- Hong, F., Lin, W., Meng, W., & Yan, Y. (2016b). Trigonal Cu₂-II-Sn-VI₄ (II = Ba, Sr and VI = S, Se) quaternary compounds for earth-abundant photovoltaics. *Physical Chemistry Chemical Physics*, 18(6), 4828–4834. <https://doi.org/10.1039/c5cp06977g>
- Huang, L., Li, Y., Sha, S., Ge, B., Wu, Y., Yan, J., Kong, Y., & Zhang, J. (2023). Engineering Multiple Microstructural Defects for Record-Breaking Thermoelectric Properties of Chalcopyrite Cu_{1-x}Ag_xGaTe₂. *Small*, 19(15), 1–12. <https://doi.org/10.1002/sml.202206865>
- International Renewable Energy Agency. (2023).
- Jia, N., Tan, X. Y., Xu, J., Yan, Q., & Kanatzidis, M. G. (2022). Achieving Enhanced Thermoelectric Performance in Multiphase Materials. *Accounts of Materials Research*, 3(2), 237–246. <https://doi.org/10.1021/accounts.1c00228>
- Jin, Q., Jiang, S., Zhao, Y., Wang, D., Qiu, J., Tang, D.-M., Tan, J., Sun, D.-M., Hou, P.-X., Chen, X.-Q., Tai, K., Gao, N., Liu, C., Cheng, H.-M., & Jiang, X. (2019). Flexible layer-structured Bi₂Te₃ thermoelectric on a carbon nanotube scaffold. *Nature Materials*, 18(1), 62–68. <https://doi.org/10.1038/s41563-018-0217-z>
- JOACHAIN, B. A. (2017). *Physics Of Atoms And Molecules*. Longman Scientific & Technical.
- Jonson, M., & Mahan, G. D. (1980). Mott's formula for the thermopower and the Wiedemann-Franz law. *Phys. Rev. B*, 21(10), 4223–4229. <https://doi.org/10.1103/PhysRevB.21.4223>
- Ju, S., Shiga, T., Feng, L., & Shiomi, J. (2018). Revisiting PbTe to identify how thermal conductivity is really limited. *Physical Review B*, 97(18), 1–6. <https://doi.org/10.1103/PhysRevB.97.184305>
- Kabalov, Y. K., Evstigneeva, T. L., & Spiridonov, E. M. (1998). Crystal structure of Cu₂HgSnS₄, a synthetic analogue of the mineral velikite. *Crystallography Reports*.
- Kanevce, A., Repins, I., & Wei, S. H. (2015). Impact of bulk properties and local secondary phases on the Cu₂(Zn,Sn)Se₄ solar cells open-circuit voltage. *Solar Energy Materials and Solar Cells*, 133, 119–125. <https://doi.org/10.1016/j.solmat.2014.10.042>
- Kaur, K., Kumar, N., & Kumar, M. (2017). Strategic review of interface carrier recombination in earth abundant Cu-Zn-Sn-S-Se solar cells: current challenges and future prospects. *Journal of Materials Chemistry A*, 5(7), 3069–3090. <https://doi.org/10.1039/C6TA10543B>
- Keyes, R. W. (1959). High-Temperature Thermal Conductivity of Insulating Crystals: Relationship to the Melting Point. *Phys. Rev.*, 115(3), 564–567. <https://doi.org/10.1103/PhysRev.115.564>

- Kim, H., Kihoi, S. K., & Lee, H. S. (2021). Point defects control in non-stoichiometric CuInTe₂ compounds and its corresponding effects on the microstructure and thermoelectric properties. *Journal of Alloys and Compounds*, 869, 159381. <https://doi.org/10.1016/j.jallcom.2021.159381>
- Kim, S. Il, Lee, K. H., Mun, H. A., Kim, H. S., Hwang, S. W., Roh, J. W., Yang, D. J., Shin, W. H., Li, X. S., Lee, Y. H., Snyder, G. J., & Kim, S. W. (2015). Dense dislocation arrays embedded in grain boundaries for high-performance bulk thermoelectrics. *Science*, 348(6230), 109–114. <https://doi.org/10.1126/science.aaa4166>
- Kim, Y., Hempel, H., Levchenko, S., Euvrard, J., Bergmann, E., Gunawan, O., Unold, T., Hill, I. G., & Mitzi, D. B. (2021). Optoelectronic property comparison for isostructural Cu₂BaGeSe₄ and Cu₂BaSnS₄ solar absorbers. *Journal of Materials Chemistry A*, 9(41), 23619–23630. <https://doi.org/10.1039/d1ta05666b>
- Kohn, W., & Sham, L. J. (1965). Self-consistent equations including exchange and correlation effects. *Physical Review*, 140(4A). <https://doi.org/10.1103/PhysRev.140.A1133>
- Kresse, G., & Furthmüller, J. (1996). Efficiency of ab-initio total energy calculations for metals and semiconductors using a plane-wave basis set. *Computational Materials Science*, 6(1), 15–50. [https://doi.org/10.1016/0927-0256\(96\)00008-0](https://doi.org/10.1016/0927-0256(96)00008-0)
- Kukreti, S., Gupta, G. K., & Dixit, A. (2021a). Theoretical DFT studies of Cu₂HgSnS₄ absorber material and Al:ZnO/ZnO/CdS/Cu₂HgSnS₄/Back contact heterojunction solar cell. *Solar Energy*, 225(May), 802–813. <https://doi.org/10.1016/j.solener.2021.07.071>
- Kukreti, S., Gupta, G. K., & Dixit, A. (2021b). Theoretical DFT studies of Cu₂HgSnS₄ absorber material and Al:ZnO/ZnO/CdS/Cu₂HgSnS₄/Back contact heterojunction solar cell. *Solar Energy*, 225(August), 802–813. <https://doi.org/10.1016/j.solener.2021.07.071>
- Kukreti, S., Ramawat, S., & Dixit, A. (2023). Selenizing Possibilities of Cu₂HgSnS₄—i.e., Cu₂HgSn(SexS_{1-x})₄ Compound Semiconductor: Potential Candidate for Solar Photovoltaics and Photodetectors. *Physica Status Solidi (B) Basic Research*, 2200524, 1–9. <https://doi.org/10.1002/pssb.202200524>
- Kukreti, S., Sapkota, D. J., & Dixit, A. (2023). Designing Graded Band Gap Active Layer Cu₂HgSn(S_{1-x}Sex)₄ over Complex Tandem Structure for Efficient Photovoltaic Cells with Efficiency >20%. *Energy & Fuels*, 37(16), 12335–12344. <https://doi.org/10.1021/acs.energyfuels.3c01257>
- Kumar, M., Dubey, A., Adhikari, N., Venkatesan, S., & Qiao, Q. (2015). Strategic review of secondary phases, defects and defect-complexes in kesterite CZTS–Se solar cells. *Energy Environ. Sci.*, 8(11), 3134–3159. <https://doi.org/10.1039/C5EE02153G>
- Kuo, Y. K., Liou, B. T., Yen, S. H., & Chu, H. Y. (2004). Vegard's law deviation in lattice constant and band gap bowing parameter of zincblende In_xGa_{1-x}N. *Optics Communications*, 237(4–6), 363–369. <https://doi.org/10.1016/j.optcom.2004.04.012>
- Li, H., & Zhang, W. (2020). Perovskite Tandem Solar Cells: From Fundamentals to Commercial Deployment. *Chemical Reviews*, 120(18), 9835–9950. <https://doi.org/10.1021/acs.chemrev.9b00780>
- Li, J., Huang, Y., Huang, J., Liang, G., Zhang, Y., Rey, G., Guo, F., Su, Z., Zhu, H., Cai, L., Sun, K., Sun, Y., Liu, F., Chen, S., Hao, X., Mai, Y., & Green, M. A. (2020). Defect Control for 12.5% Efficiency Cu₂ZnSnSe₄ Kesterite Thin-Film Solar Cells by Engineering of Local Chemical Environment. *Advanced Materials*, 32(52), 2005268. <https://doi.org/10.1002/adma.202005268>
- Li, J., Sun, K., Yuan, X., Huang, J., Green, M. A., & Hao, X. (2023). Emergence of flexible kesterite solar cells: progress and perspectives. *Npj Flexible Electronics*, 7(1), 16. <https://doi.org/10.1038/s41528-023-00250-7>
- Li, W., Ibáñez, M., Zamani, R. R., García-Castelló, N., Gorsse, S., Cadavid, D., Prades, J. D., Arbiol, J., & Cabot, A. (2013). Cu₂HgSnSe₄ nanoparticles: synthesis and thermoelectric properties. *CrystrEngComm*, 15(44), 8966–8971. <https://doi.org/10.1039/C3CE41583J>
- Li, X., Hu, X., Liao, H., Yang, S., Li, X., Li, Q., Liu, X., Zhao, Y., & Wang, S. (2022). Preparation of band-gap-grading Cu₂ZnSn(S,Se)₄ thin-film solar cells by post-sulfo-selenization treatment. *Journal of Materials Chemistry C*, 10(41), 15638–15646. <https://doi.org/10.1039/d2tc02685f>

- Li, Z., Xie, H., Xia, Y., Hao, S., Pal, K., Kanatzidis, M. G., Wolverton, C., & Tang, X. (2022). Weak-Bonding Elements Lead to High Thermoelectric Performance in BaSnS₃ and SrSnS₃: A First-Principles Study. *Chemistry of Materials*, 34(3), 1289–1301. <https://doi.org/10.1021/acs.chemmater.1c03987>
- Lie, S., Guc, M., Tunuguntla, V., Izquierdo-Roca, V., Siebentritt, S., & Wong, L. H. (2022). Comprehensive physicochemical and photovoltaic analysis of different Zn substitutes (Mn, Mg, Fe, Ni, Co, Ba, Sr) in CZTS-inspired thin film solar cells. *Journal of Materials Chemistry A*, 9(13), 9137–9149. <https://doi.org/10.1039/d2ta00225f>
- Lim, G., Park, H. K., Kim, W. H., Kim, S.-H., Yang, K.-J., Kang, J.-K., Kim, D.-H., & Jo, W. (2023). Improving open-circuit voltage deficit by interface passivation via Li treatment in Cu₂ZnSn(S_{1-x}Se_x)₄ solar cells. *J. Mater. Chem. A*, 11(46), 25555–25562. <https://doi.org/10.1039/D3TA04907H>
- Lim, J.-C., Kim, S. Y., Shin, W. H., Kim, S., Roh, J. W., Yang, H., & Kim, H.-S. (2022). Characterization of Hall Factor with Seebeck Coefficient Measurement. *ACS Applied Energy Materials*, 5(4), 4036–4040. <https://doi.org/10.1021/acsaem.2c00549>
- Liu, F. S., Zheng, J. X., Huang, M. J., He, L. P., Ao, W. Q., Pan, F., & Li, J. Q. (2014). Enhanced thermoelectric performance of Cu₂CdSnSe₄ by Mn doping: Experimental and first principles studies. *Scientific Reports*, 4, 1–7. <https://doi.org/10.1038/srep05774>
- Liu, M.-L., Chen, I.-W., Huang, F.-Q., & Chen, L.-D. (2009). Improved Thermoelectric Properties of Cu-Doped Quaternary Chalcogenides of Cu₂CdSnSe₄. *Advanced Materials*, 21(37), 3808–3812. <https://doi.org/10.1002/adma.200900409>
- M. S. Dresselhaus. (2001). *Transport Properties of Solids*.
- Madsen, G. K. H., Carrete, J., & Verstraete, M. J. (2018). BoltzTraP2, a program for interpolating band structures and calculating semi-classical transport coefficients ☆. *Computer Physics Communications*, 231, 140–145. <https://doi.org/10.1016/j.cpc.2018.05.010>
- Morales-Acevedo, A. (2006). Can we improve the record efficiency of CdS/CdTe solar cells? *Solar Energy Materials and Solar Cells*, 90(15), 2213–2220. <https://doi.org/10.1016/J.SOLMAT.2006.02.019>
- Morelli, D. T., Jovovic, V., & Heremans, J. P. (2008). Intrinsically minimal thermal conductivity in cubic I-V-VI₂ semiconductors. *Physical Review Letters*, 101(3), 16–19. <https://doi.org/10.1103/PhysRevLett.101.035901>
- Mouhat, F., & Coudert, F. X. (2014). Necessary and sufficient elastic stability conditions in various crystal systems. *Physical Review B - Condensed Matter and Materials Physics*, 90(22), 4–7. <https://doi.org/10.1103/PhysRevB.90.224104>
- Murnaghan, F. D. (1944). On the Theory of the Tension of an Elastic Cylinder. *Proceedings of the National Academy of Sciences*, 30(12), 382–384. <https://doi.org/10.1073/pnas.30.12.382>
- Nagaoka, A., Yoshino, K., Masuda, T., Sparks, T. D., Scarpulla, M. A., & Nishioka, K. (2021a). Environmentally friendly thermoelectric sulphide Cu₂ZnSnS₄ single crystals achieving a 1.6 dimensionless figure of merit ZT. *J. Mater. Chem. A*, 9(28), 15595–15604. <https://doi.org/10.1039/D1TA02978A>
- Nagaoka, A., Yoshino, K., Masuda, T., Sparks, T. D., Scarpulla, M. A., & Nishioka, K. (2021b). Environmentally friendly thermoelectric sulphide Cu₂ZnSnS₄ single crystals achieving a 1.6 dimensionless figure of merit ZT. *Journal of Materials Chemistry A*, 9(28), 15595–15604. <https://doi.org/10.1039/d1ta02978a>
- Neeman, D. A. (2012). *Semiconductor Physics and Devices* (Fourth Edi). McGraw-Hill.
- Nelson, J. A. (2003). *The Physics of Solar Cell*.
- Nelson, R., Ertural, C., George, J., Deringer, V. L., Hautier, G., & Dronskowski, R. (2020). LOBSTER: Local orbital projections, atomic charges, and chemical-bonding analysis from projector-augmented-wave-based density-functional theory. *Journal of Computational Chemistry*, 41(21), 1931–1940. <https://doi.org/10.1002/jcc.26353>
- Nisika, Kaur, K., & Kumar, M. (2020). Progress and prospects of CZTSSe/CdS interface engineering to combat high open-circuit voltage deficit of kesterite photovoltaics: A critical review. *Journal of Materials Chemistry A*, 8(41), 21547–21584. <https://doi.org/10.1039/d0ta06450e>

- Ortiz, B. R., Peng, W., Gomes, L. C., Gorai, P., Zhu, T., Smiadak, D. M., Snyder, G. J., Stevanović, V., Ertekin, E., Zevalkink, A., & Toberer, E. S. (2018). Ultralow Thermal Conductivity in Diamond-Like Semiconductors: Selective Scattering of Phonons from Antisite Defects. *Chemistry of Materials*, 30(10), 3395–3409. <https://doi.org/10.1021/acs.chemmater.8b00890>
- Parashchuk, T., Cherniushok, O., Smiutikh, O., Marchuk, O., & Wojciechowski, K. T. (2023). Structure Evolution and Bonding Inhomogeneity toward High Thermoelectric Performance in $\text{Cu}_2\text{CoSnS}_4\text{-xSex}$ Materials. *Chemistry of Materials*, 35(12), 4772–4785. <https://doi.org/10.1021/acs.chemmater.3c00586>
- Parashchuk, T., Knura, R., Cherniushok, O., & Wojciechowski, K. T. (2022). Ultralow Lattice Thermal Conductivity and Improved Thermoelectric Performance in Cl-Doped $\text{Bi}_2\text{Te}_3\text{-xSex}$ Alloys. *ACS Applied Materials & Interfaces*, 14(29), 33567–33579. <https://doi.org/10.1021/acsami.2c08686>
- Park, H. K., Cho, Y., Kim, J., Kim, S., Kim, S., Kim, J., Yang, K., Kim, D., Kang, J., & Jo, W. (2022). Flexible kesterite thin-film solar cells under stress. *Npj Flexible Electronics*, 6, 91. <https://doi.org/10.1038/s41528-022-00221-4>
- Park, J., Dylla, M., Xia, Y., Wood, M., Snyder, G. J., & Jain, A. (2021). When band convergence is not beneficial for thermoelectrics. *Nature Communications*, 12(1), 1–8. <https://doi.org/10.1038/s41467-021-23839-w>
- Park, J. S., Kim, S., Xie, Z., & Walsh, A. (2018). Point defect engineering in thin-film solar cells. *Nature Reviews Materials*, 3(7), 194–210. <https://doi.org/10.1038/s41578-018-0026-7>
- Pei, Y., LaLonde, A. D., Wang, H., & Snyder, G. J. (2012). Low effective mass leading to high thermoelectric performance. *Energy Environ. Sci.*, 5(7), 7963–7969. <https://doi.org/10.1039/C2EE21536E>
- Pei, Y., Shi, X., Lalonde, A., Wang, H., Chen, L., & Snyder, G. J. (2011). Convergence of electronic bands for high performance bulk thermoelectrics. *Nature*, 473, 66–69. <https://doi.org/10.1038/nature09996>
- Peierls, R. (1929). Zur kinetischen Theorie der Wärmeleitung in Kristallen. *Annalen Der Physik*, 395(8), 1055–1101. <https://doi.org/https://doi.org/10.1002/andp.19293950803>
- Perdew, J. P., Burke, K., & Ernzerhof, M. (1996). Generalized gradient approximation made simple. *Phys. Rev. Lett.*, 77(18), 3865. <https://doi.org/10.1103/PhysRevLett.77.3865>
- Plata, J. J., Blancas, E. J., Márquez, A. M., Posligua, V., Fdez Sanz, J., & Grau-Crespo, R. (2023). Harnessing the unusually strong improvement of thermoelectric performance of AgInTe_2 with nanostructuring. *J. Mater. Chem. A*, 11(31), 16734–16742. <https://doi.org/10.1039/D3TA02055J>
- Pöhls, J.-H., Chanakian, S., Park, J., Ganose, A. M., Dunn, A., Friesen, N., Bhattacharya, A., Hogan, B., Bux, S., Jain, A., Mar, A., & Zevalkink, A. (2021). Experimental validation of high thermoelectric performance in RECuZnP_2 predicted by high-throughput DFT calculations. *Mater. Horiz.*, 8(1), 209–215. <https://doi.org/10.1039/D0MH01112F>
- Ponce, S., Margine, E. R., Verdi, C., & Giustino, F. (2016). EPW: Electron-phonon coupling, transport and superconducting properties using maximally localized Wannier functions. *Computer Physics Communications*, 209, 116–133. <https://doi.org/10.1016/j.cpc.2016.07.028>
- Qin, B., Wang, D., Hong, T., Wang, Y., Liu, D., Wang, Z., Gao, X., Ge, Z.-H., & Zhao, L.-D. (2023). High thermoelectric efficiency realized in SnSe crystals via structural modulation. *Nature Communications*, 14(1), 1366. <https://doi.org/10.1038/s41467-023-37114-7>
- Qu, J., Porter, C. E., Gomes, L. C., Adamczyk, J. M., Toriyama, M. Y., Ortiz, B. R., Toberer, E. S., & Ertekin, E. (2021). Controlling thermoelectric transport via native defects in the diamond-like semiconductors $\text{Cu}_2\text{HgGeTe}_4$ and Hg_2GeTe_4 . *J. Mater. Chem. A*, 9(46), 26189–26201. <https://doi.org/10.1039/D1TA07410E>
- Ren, Q., Li, Y., Lun, Y., Tang, G., & Hong, J. (2023). First-principles study of the lattice thermal conductivity of the nitride perovskite $\text{LaWN}_{3-x}\text{O}_x$. *Phys. Rev. B*, 107(12), 125206. <https://doi.org/10.1103/PhysRevB.107.125206>
- Richter, A., Glunz, S. W., Werner, F., Schmidt, J., & Cuevas, A. (2012). Improved quantitative description of Auger recombination in crystalline silicon. *Physical Review B - Condensed Matter and Materials Physics*, 86(16), 1–14. <https://doi.org/10.1103/PhysRevB.86.165202>

- Ridley, B. K. (1996). The LO phonon lifetime in GaN. *Journal of Physics Condensed Matter*, 8(37), 8–11. <https://doi.org/10.1088/0953-8984/8/37/001>
- Rongione, N. A., Li, M., Wu, H., Nguyen, H. D., Kang, J. S., Ouyang, B., Xia, H., & Hu, Y. (2019). High-Performance Solution-Processable Flexible SnSe Nanosheet Films for Lower Grade Waste Heat Recovery. *Advanced Electronic Materials*, 5(3), 1800774. <https://doi.org/10.1002/aelm.201800774>
- Saparov, B. (2022). Next Generation Thin-Film Solar Absorbers Based on Chalcogenides. *Chemical Reviews*, 122(11), 10575–10577. <https://doi.org/10.1021/acs.chemrev.2c00346>
- Sarmadian, N., Saniz, R., Partoens, B., & Lamoen, D. (2016). First-principles study of the optoelectronic properties and photovoltaic absorber layer efficiency of Cu-based chalcogenides. *Journal of Applied Physics*, 120(8). <https://doi.org/10.1063/1.4961562>
- Shearer, G. C., Chavan, S., Bordiga, S., Svelle, S., Olsbye, U., & Lillerud, K. P. (2016). Defect Engineering: Tuning the Porosity and Composition of the Metal–Organic Framework UiO-66 via Modulated Synthesis. *Chemistry of Materials*, 28(11), 3749–3761. <https://doi.org/10.1021/acs.chemmater.6b00602>
- Shi, X. L., Zou, J., & Chen, Z. G. (2020). Advanced thermoelectric design: From materials and structures to devices. *Chemical Reviews*, 120(15), 7399–7515. <https://doi.org/10.1021/acs.chemrev.0c00026>
- Shi, Xiaolei, Wu, A., Liu, W., Moshwan, R., Wang, Y., Chen, Z.-G., & Zou, J. (2018). Polycrystalline SnSe with Extraordinary Thermoelectric Property via Nanoporous Design. *ACS Nano*, 12(11), 11417–11425. <https://doi.org/10.1021/acs.nano.8b06387>
- Shi, Xun, Yang, J., Salvador, J. R., Chi, M., Cho, J. Y., Wang, H., Bai, S., Yang, J., Zhang, W., & Chen, L. (2011). Multiple-Filled Skutterudites: High Thermoelectric Figure of Merit through Separately Optimizing Electrical and Thermal Transports. *Journal of the American Chemical Society*, 133(20), 7837–7846. <https://doi.org/10.1021/ja111199y>
- Shin, D., Saparov, B., & Mitzi, D. B. (2017). Defect Engineering in Multinary Earth-Abundant Chalcogenide Photovoltaic Materials. *Advanced Energy Materials*, 7(11), 1602366. <https://doi.org/10.1002/aenm.201602366>
- Shockley, W. H. Q. (2011). *Renewable Energy* (First edit).
- Shockley, W., & Read, W. T. (1952). Statistics of the Recombinations of Holes and Electrons. *Phys. Rev.*, 87(5), 835–842. <https://doi.org/10.1103/PhysRev.87.835>
- Simoncelli, M., Marzari, N., & Mauri, F. (2019). Unified theory of thermal transport in crystals and glasses. *Nature Physics*, 15(8), 809–813. <https://doi.org/10.1038/s41567-019-0520-x>
- Simya, O. K., Mahaboobbatcha, A., & Balachander, K. (2015). A comparative study on the performance of Kesterite based thin film solar cells using SCAPS simulation program. *Superlattices and Microstructures*. <https://doi.org/10.1016/j.spmi.2015.02.020>
- Skelton, J. M., Parker, S. C., Togo, A., Tanaka, I., & Walsh, A. (2014). Thermal physics of the lead chalcogenides PbS, PbSe, and PbTe from first principles. *Phys. Rev. B*, 89(20), 205203. <https://doi.org/10.1103/PhysRevB.89.205203>
- Snyder, G. J., & Toberer, E. S. (2010). Complex thermoelectric materials. *Materials for Sustainable Energy: A Collection of Peer-Reviewed Research and Review Articles from Nature Publishing Group*, 7(February), 101–110. https://doi.org/10.1142/9789814317665_0016
- Snyder, G. J., & Ursell, T. S. (2003). Thermoelectric efficiency and compatibility. *Physical Review Letters*, 91(14), 148301/1-148301/4. <https://doi.org/10.1103/PhysRevLett.91.148301>
- Solar cells—Operating principles, technology and system applications. (1982). *Solar Energy*. [https://doi.org/10.1016/0038-092x\(82\)90265-1](https://doi.org/10.1016/0038-092x(82)90265-1)
- Sun, K., Yan, C., Huang, J., Liu, F., Li, J., Sun, H., Zhang, Y., Cui, X., Wang, A., Fang, Z., Cong, J., Lai, Y., Green, M. A., & Hao, X. (2019). Beyond 10% efficiency Cu₂ZnSnS₄ solar cells enabled by modifying the heterojunction interface chemistry. *Journal of Materials Chemistry A*, 7(48), 27289–27296. <https://doi.org/10.1039/c9ta09576d>
- Susanne Siebentritt and Susan Schorr. (2012). Kesterites—a challenging material for solar cells. *Progress in Photovoltaics: Research and Applications*, 20(1), 512–519. <https://doi.org/10.1002/pip>
- Tachibana, M., Kolodiazny, T., & Takayama-Muromachi, E. (2008). Thermal conductivity of

- perovskite ferroelectrics. *Applied Physics Letters*, 93(9), 092902. <https://doi.org/10.1063/1.2978072>
- Tadano, T., Gohda, Y., & Tsuneyuki, S. (2015). Impact of Rattlers on Thermal Conductivity of a Thermoelectric Clathrate: A First-Principles Study. *Phys. Rev. Lett.*, 114(9), 95501. <https://doi.org/10.1103/PhysRevLett.114.095501>
- Taylor, P., & Pugh, S. F. (1954). Pugh1954.Pdf. *Philosophical Magazine Series 7*, 45(July 2013), 823–843.
- Togo, A., Chaput, L., & Tanaka, I. (2015). Distributions of phonon lifetimes in Brillouin zones. *Phys. Rev. B*, 91(9), 94306. <https://doi.org/10.1103/PhysRevB.91.094306>
- Topic, M., Smole, F., & Furlan, Joze (Faculty of Electrical and Computer Engineering, University of Ljubljana, Trzaska 25, Ljubljana, S. (1998). Band-gap engineering in CdS/Cu(In,Ga)Se₂ solar cells. *Journal of Applied Physics*, 79(June 1998), 8537. <https://doi.org/https://doi.org/10.1063/1.362533>
- Tran, F., & Blaha, P. (2009). Accurate band gaps of semiconductors and insulators with a semilocal exchange-correlation potential. *Physical Review Letters*, 102(22), 226401. <https://doi.org/10.1103/PhysRevLett.102.226401>
- Tritt, T. M. (2005). *Thermal conductivity: theory, properties, and applications*. Springer Science & Business Media.
- Unold, T., & Schock, H. W. (2011). Nonconventional (Non-Silicon-Based) Photovoltaic Materials. *Annual Review of Materials Research*, 41(1), 297–321. <https://doi.org/10.1146/annurev-matsci-062910-100437>
- Vu, T. V., Lavrentyev, A. A., Gabrelian, B. V., Tong, H. D., Tkach, V. A., Parasyuk, O. V., & Khyzhun, O. Y. (2019). A theoretical and experimental study of the valence-band electronic structure and optical constants of quaternary copper mercury tin sulfide, Cu₂HgSnS₄, a potential material for optoelectronics and solar cells. *Optical Materials*, 96, 109296. <https://doi.org/10.1016/j.optmat.2019.109296>
- Vu, T. V., Lavrentyev, A. A., Gabrelian, B. V., Tong, H. D., Tkach, V. A., Parasyuk, O. V., & Khyzhun, O. Y. (2020). Simulation within a DFT framework and experimental study of the valence-band electronic structure and optical properties of quaternary selenide Cu₂HgSnSe₄. *Optik*, 202(July 2019), 163709. <https://doi.org/10.1016/j.ijleo.2019.163709>
- Wang, S.-F., Zhang, Z.-G., Wang, B.-T., Zhang, J.-R., & Wang, F.-W. (2022). Intrinsic Ultralow Lattice Thermal Conductivity in the Full-Heusler Compound Ba_2AgSb . *Phys. Rev. Appl.*, 17(3), 34023. <https://doi.org/10.1103/PhysRevApplied.17.034023>
- Wimmer, E., Krakauer, H., Weinert, M., & Freeman, A. J. (1981). Full-potential self-consistent linearized-augmented-plane-wave method for calculating the electronic structure of molecules and surfaces: O₂ molecule. *Physical Review B*, 24(2), 864–875. <https://doi.org/10.1103/PhysRevB.24.864>
- Wu, H. J., Zhao, L.-D., Zheng, F. S., Wu, D., Pei, Y. L., Tong, X., Kanatzidis, M. G., & He, J. Q. (2014). Broad temperature plateau for thermoelectric figure of merit ZT>2 in phase-separated PbTe_{0.7}S_{0.3}. *Nature Communications*, 5(1), 4515. <https://doi.org/10.1038/ncomms5515>
- Xu, J., Lin, J., & Zhuang, C. (2018). Analysis of the open-circuit voltage of Cu₂ZnSn(S, Se)₄ thin film solar cell. *Solar Energy*, 164(January), 231–242. <https://doi.org/10.1016/j.solener.2018.02.066>
- Xu, Y., Li, W., Wang, C., Li, J., Chen, Z., Lin, S., Chen, Y., & Pei, Y. (2017). Performance optimization and single parabolic band behavior of thermoelectric MnTe. *J. Mater. Chem. A*, 5(36), 19143–19150. <https://doi.org/10.1039/C7TA04842D>
- Yan, C., Huang, J., Sun, K., Johnston, S., Zhang, Y., Sun, H., Pu, A., He, M., Liu, F., Eder, K., Yang, L., Cairney, J. M., Ekins-Daukes, N. J., Hameiri, Z., Stride, J. A., Chen, S., Green, M. A., & Hao, X. (2018). Cu₂ZnSnS₄ solar cells with over 10% power conversion efficiency enabled by heterojunction heat treatment. *Nature Energy*, 3(9), 764–772. <https://doi.org/10.1038/s41560-018-0206-0>
- Yan, C., Liu, F., Song, N., Ng, B. K., Stride, J. A., Tadich, A., & Hao, X. (2014). Band alignments of

- different buffer layers (CdS, Zn(O,S), and In₂S₃) on Cu₂ZnSnS₄. *Applied Physics Letters*, 104(17). <https://doi.org/10.1063/1.4873715>
- Yang, C., Souchay, D., Kneiß, M., Bogner, M., Wei, H. M., Lorenz, M., Oeckler, O., Benstetter, G., Fu, Y. Q., & Grundmann, M. (2017). Transparent flexible thermoelectric material based on non-toxic earth-abundant p-type copper iodide thin film. *Nature Communications*, 8(1), 16076. <https://doi.org/10.1038/ncomms16076>
- Yang, J., & Stabler, F. R. (2009). Automotive applications of thermoelectric materials. *Journal of Electronic Materials*, 38(7), 1245–1251. <https://doi.org/10.1007/s11664-009-0680-z>
- Yang, L., Chen, Z.-G., Dargusch, M. S., & Zou, J. (2018). High Performance Thermoelectric Materials: Progress and Their Applications. *Advanced Energy Materials*, 8(6), 1701797. <https://doi.org/https://doi.org/10.1002/aenm.201701797>
- Yang, Z., Zi, P., Liu, K., Luo, H., Bai, H., Chen, S., Wu, J., Su, X., Uher, C., Zhang, Q., & Tang, X. (2023). Ultralow Lattice Thermal Conductivity and Extraordinary Thermoelectric Performance in Highly Disordered CuIn₇Se₁₁ Layered Compound. *Advanced Functional Materials*, 2306849, 1–12. <https://doi.org/10.1002/adfm.202306849>
- Yu, M., & Trinkle, D. R. (2011). Accurate and efficient algorithm for Bader charge integration. *Journal of Chemical Physics*, 134(6). <https://doi.org/10.1063/1.3553716>
- Yue, T., Sun, Y., Zhao, Y., Meng, S., & Dai, Z. (2022). Thermoelectric performance in the binary semiconductor compound $\{A\}_2\{\mathrm{Se}\}_2$ ($A = \text{K, Rb}$) with host-guest structure. *Phys. Rev. B*, 105(5), 54305. <https://doi.org/10.1103/PhysRevB.105.054305>
- Yue, T., Zhao, Y., Ni, J., Meng, S., & Dai, Z. (2023). Strong quartic anharmonicity, ultralow thermal conductivity, high band degeneracy and good thermoelectric performance in Na₂TlSb. *Npj Computational Materials*, 9(1), 17. <https://doi.org/10.1038/s41524-023-00970-4>
- Zhang, D., Sun, S., Li, X., Li, X., Liu, X., Li, Q., Liao, H., & Wang, S. (2021). Preparing Cu₂ZnSn(S_xSe_{1-x})₄ thin-film solar cells with front band gap grading by plasma sulfurization. *Solar Energy*, 227(September), 516–524. <https://doi.org/10.1016/j.solener.2021.08.073>
- Zhang, J., Jiang, H., Xia, X., Gao, Y., & Huang, Z. (2022). Antibonding p-d and s-p Hybridization Induce the Optimization of Thermal and Thermoelectric Performance of MGeTe₃ (M = In and Sb). *ACS Applied Energy Materials*, 5(12), 15566–15577. <https://doi.org/10.1021/acsaem.2c03138>
- Zhao, K., Duan, H., Raghavendra, N., Qiu, P., Zeng, Y., Zhang, W., Yang, J., Shi, X., & Chen, L. (2017). Solid-State Explosive Reaction for Nanoporous Bulk Thermoelectric Materials. *Advanced Materials*, 29(42), 1701148. <https://doi.org/https://doi.org/10.1002/adma.201701148>
- Zhao, Wenhao, Zhou, W., & Miao, X. (2012). Numerical simulation of CZTS thin film solar cell. 2012 7th IEEE International Conference on Nano/Micro Engineered and Molecular Systems, NEMS 2012, 502–505. <https://doi.org/10.1109/NEMS.2012.6196826>
- Zhao, Wenyu, Liu, Z., Sun, Z., Zhang, Q., Wei, P., Mu, X., Zhou, H., Li, C., Ma, S., He, D., Ji, P., Zhu, W., Nie, X., Su, X., Tang, X., Shen, B., Dong, X., Yang, J., Liu, Y., & Shi, J. (2017). Superparamagnetic enhancement of thermoelectric performance. *Nature*, 549(7671), 247–251. <https://doi.org/10.1038/nature23667>
- Zhao, Z., & Zhao, X. (2015). Electronic, optical, and mechanical properties of Cu₂ZnSnS₄ with four crystal structures. *Journal of Semiconductors*, 36(8). <https://doi.org/10.1088/1674-4926/36/8/083004>
- Zheng, Y., Slade, T. J., Hu, L., Tan, X. Y., Luo, Y., Luo, Z. Z., Xu, J., Yan, Q., & Kanatzidis, M. G. (2021). Defect engineering in thermoelectric materials: What have we learned? *Chemical Society Reviews*, 50(16), 9022–9054. <https://doi.org/10.1039/d1cs00347j>
- Zhu, A.-Y., Ding, R.-X., Xu, H.-T., Tong, C.-J., & McKenna, K. P. (2024). Cu–Zn Cation Disorder in Kesterite Cu₂ZnSn(S_xSe_{1-x})₄ Solar Cells. *ACS Energy Letters*, 9(2), 497–503. <https://doi.org/10.1021/acsenergylett.3c02653>
- Zinkle, S. J., & Was, G. S. (2013). Materials challenges in nuclear energy. *Acta Materialia*, 61(3), 735–758. <https://doi.org/10.1016/j.actamat.2012.11.004>

Zulkifal, S., Wang, Z., Zhang, X., Siddique, S., Yu, Y., Wang, C., Gong, Y., Li, S., Li, D., Zhang, Y., Wang, P., & Tang, G. (2023). Multiple Valence Bands Convergence and Localized Lattice Engineering Lead to Superhigh Thermoelectric Figure of Merit in MnTe. *Advanced Science*, 10(17), 2206342. <https://doi.org/https://doi.org/10.1002/advs.202206342>