Contents

		page
Declaration		*i*
Certificate		*iii*
Abstract		*v*
Acknowledgments		*vii*
Contents		*ix*
List of Figures		*xiii*
List of Tables		*xvii*
List of Symbols		*xix*
List of Abbreviations		*xxi*

Chapter 1: Introduction

1.1	Redox-Active Ligands: General Introduction	*1*
1.2	Redox-Active Ligands in Nature	*4*
1.3	Redox-Active Ligands in Laboratories	*5*
1.4	β-diketimine ligands	*6*
1.5	The Formazan/Ate Scaffold: An Encouraging Prospect as a Redox-Active Ligand	*7*
	1.5.1 Formazanate Ligands as Electron Reservoirs	*10*
	1.5.2 Diverse Biological Significance of Formazans	*11*
	1.5.3 Formazanate Redox Non-innocence for Catalytic Processes	*12*
	1.5.4 Formazanate Complexes: Spin-Crossover Attributes and Introduction to the Domain of Resistive Memory Devices	*13*
1.6	Scope of the Thesis	*14*

Chapter 2: Experimental Methodology

2.1	Characterization Techniques	*17*
	2.1.1 Single-Crystal X-Ray Diffraction (SC-XRD)	*17*
	2.1.2 Nuclear Magnetic Resonance (NMR) Spectroscopy	*17*
	2.1.3 UV-Visible spectroscopy	*18*
	2.1.4 Fourier Transform Infrared (FTIR) Spectroscopy	*18*
	2.1.5 Electron Spray Ionization Mass Spectrometry (ESI-MS)	*18*
	2.1.6 Elemental Analysis	*18*
	2.1.7 Thermogravimetric Analysis (TGA)	*18*
	2.1.8 X-Ray Photoelectron Spectroscopy (XPS)	*19*
	2.1.9 Electron Paramagnetic Resonance (EPR) Spectroscopy	*19*
	2.1.10 Cyclic Voltammetry (CV) Technique	*19*

Chapter 3: WORM type memory device based on ionic organotin complex using 1,5-diphenyl-3-(2-pyridyl)formazan ligand

3.1	Introduction	*21*
3.2	Experimental Section	*23*
	3.2.1 General Considerations	*23*
	3.2.2 Device Fabrication	*23*
	3.2.3 Synthesis	*24*
3.3	Results and Discussion	*24*
	3.3.1 Synthetic Aspects	*24*
	3.3.2 Single Crystal X-Ray Crystallography	*26*
	3.3.3 Memory Device Studies	*29*
	3.3.4 Electrochemical Properties and Proposed Mechanism	*30*
3.4	Conclusion	*32*

Chapter 4: Design and synthesis of a solution-processed redox-active bis(formazanate) zinc complex for resistive switching applications

4.1	Introduction	*33*
4.2	Experimental Section	*35*

4.2.1 General Considerations 35
4.2.2 Single-Crystal X-ray Crystallography 35
4.2.3 Synthesis of 3-Cyano-1,5-(4-antipyrinyl)formazan 35
4.2.4 Synthesis of Bis-(3-Cyano-1,5-(4-antipyrinyl)formazanato)Zinc complex. 35
4.2.5 Computational Details 36
4.2.6 Fabrication RRAM Devices 36
4.3 Results and Discussion 37
4.3.1 Ligand Synthesis 37
4.3.2 Complex Synthesis and Characterization 39
4.3.3 Single-Crystal X-ray Crystallography 42
4.3.4 Photophysical Studies 44
4.3.5 Cyclic Voltammetry 45
4.3.6 Resistive Memory Device Behavior 49
4.3.7 Memory Device Operating Mechanism 51
4.4 Conclusion 53

Chapter 5: Solution-Processable Benzothiazole-Substituted Formazanate Zinc(II) Complex Designed for Robust Resistive Memory Device
5.1 Introduction 55
5.2 Experimental Section 57
5.2.1 General Considerations 57
5.2.2 Single-Crystal X-ray Crystallography 57
5.2.3 Synthesis of Bis-(1-(benzothiazol-2-yl)-5-(2-benzoyl-4-chlorophenyl)-3-phenylformazan)Zinc complex, ***3****.* 58
5.2.4 Computational Details 58
5.2.5 Fabrication of RRAM Device 58
5.3 Results and Discussion 58
5.3.1 Synthetic Aspects 58
5.3.2 X-Ray Crystallography 63
5.3.3 UV-Vis Spectroscopy 63
5.3.4 Resistive Memory Device Studies 67
5.3.5 Cyclic Voltammetry, DFT Studies, and Proposed Memory Mechanism 68
5.4 Conclusion 72

Chapter 6: Bis(formazanate) Iron(II) Complexes as Cathode Material for One-Compartment H_2O_2 Fuel Cell
6.1 Introduction 73
6.2 Experimental Section 75
6.2.1 General Considerations 75
6.2.2 Synthesis of 1-(benzothiazol-2-yl)-5-phenyl-3-(pyren-1-yl)formazan, L2H 75
6.2.3 Synthesis of $[Fe^{II}(L2)_2]$, ***4*** 76
6.2.4 Synthesis of $[Fe^{II}(L1)_2]$, ***5*** 76
6.2.5 Electrochemical Reduction of Hydrogen Peroxide 76
6.2.6 Evaluation of the Performance of H_2O_2 Fuel Cell 77
6.3 *Results and Discussion* 77
6.3.1 Synthesis and Characterization of Hetaryformazans 77
6.3.2 Synthesis and Characterization of Bis(formazanate)iron Complexes, ***4*** *and* ***5*** 79
6.3.3 X-Ray Crystallography 81
6.3.4 Electronic Spectra 85
6.3.5 Electrocatalytic Reduction of H_2O_2 86
6.3.6 Performance of the One-compartment H_2O_2 Fuel Cell 87
6.3.7 Cyclic Voltammetry (CV) 88
6.3.8 Proposed Mechanism 89
6.4 *Conclusion* 90
6.5 *Appendices* 92

Chapter 7: *In Vitro* and *In Silico* Based Mechanistic View of Therapeutic Antimicrobial Potential of Formazanate Based Mercury(II) Complex

7.1 Introduction 97
7.2 Experimental Section 99
7.2.1 General Considerations 99
7.2.2 Synthesis of 3-Cyano-1,5-(quinolin-8-yl)formazan [L3H] 99
7.2.3 Synthesis of [Hg^{II}(L3)Cl], ***6.*** 99
7.2.4 Determination of antibacterial activity and minimum inhibitory concentration 99
7.2.5 In silico pharmacophore-based therapeutic target screening of complex 6 100
7.3 *Results and Discussion* 100
7.3.1 Synthetic Aspects 100
7.3.2 X-Ray Crystallography 104
7.3.3 UV-Vis Spectroscopy 106
7.3.4 Cyclic Voltammetry 107
7.3.5 Evaluation of the Antibacterial Activity of 6 107
7.4 *Conclusion* 111

Chapter 8: Summary and Conclusions
8.1 Summary 113
8.2 Concluding Remarks 114

Appendix I
- List of Published Papers 115

References 117