Contents

page

Abstract v
Acknowledgements vii
Contents ix
List of Figures xi
List of Tables xv
List of Symbols xvii
List of Abbreviations xix

Chapter 1: Introduction 1
1.1 Brain Network Analysis . . . 1
1.2 Deep Learning Frameworks to Study Brain Functional Connectivity Patterns . . . 2
1.2.1 Functional and Structural Connectivity . . . 2
1.2.2 Resting-State Functional Connectivity . . . 2
1.2.3 Brain Development and Connectivity . . . 4
1.2.4 Clinical Conditions and Functional Connectivity . . . 4
1.2.5 Image Analysis in the Context of Brain-Activated Regions . . . 4
1.2.6 Deep Learning for Analyzing Functional Connectivity . . . 5
1.3 Motivation for the Project . . . 6
1.3.1 Characterizing Development of Brain Networks From Early Childhood . . . 6
1.3.2 Identifying Brain Connectivity-Based Features as Individual Fingerprints . . . 6
1.3.3 Design of Explainable and Generalized AI Framework to Study Atypical Brain Network Development . . . 7
1.4 Research Gap . . . 7
1.4.1 Identification of Brain Features . . . 7
1.4.2 Deep Learning in Predicting Brain Disorder . . . 8
1.4.3 Interpretation of Deep Learning Results . . . 8
1.5 Contributions . . . 8
1.5.1 Cognitive Development of Brain Networks . . . 8
1.5.2 Decoding of Brain Task using Graph Convolutional Neural Networks . . . 10
1.5.3 Identification of Source of Variability Between Autistic and Neuro-typicals using Contrastive Varaitional Auto-Encoder Model . . . 10
1.5.4 Explainable and Generalized AI Framework for Classification of Autistics from Neuro-typicals . . . 11
1.6 Organization of Thesis . . . 11

Chapter 2: Background and Related Work 13
2.1 Neuroimaging Techniques: An Overview . . . 13
2.1.1 Structural MRI and Neuroanatomy . . . 13
2.1.2 Functional MRI and Brain Activity . . . 14
2.1.3 Near-Infrared Spectroscopy (NIRS) and Alternative Methods . . . 14
2.1.4 Artificial Neural Networks in Neuroimaging . . . 14
2.2 Brain Network Modelling . . . 14
2.2.1 Human Brain Mapping . . . 15
2.2.2 Current Frontiers in Brain Network Mapping . . . 16
2.3 Deep Learning . . . 19
2.4 Deep Learning on Brain Connectivity . . . 21
2.4.1 Challenges using Deep Learning on Brain Inspired Model . . . 22

Chapter 3: Characterization of the Temporal Stability of ToM and Pain Functional Brain Networks Carry Distinct Developmental Signatures during Naturalistic Viewing 27
3.1 Introduction . . . 27
3.2 Proposed Approach . . . 29
3.2.1 fMRI Movie Watching Dataset and MRI Preprocessing . . . 29
3.2.2 Explicit ToM Task and False-Belief Composite Score and fMRI Analysis . . . 31
3.2.3 BOLD Phase Coherence and Estimation of Dynamic Functional Connectivity . . . 33
3.2.4 Computation of Dominant Dynamic Functional Connectivity Subspaces . . . 35
3.2.5 Computation of Network Temporal Stability using Dominant dFC Subspaces . . . 36
3.2.6 Validation of Results . . . 37

3.2.7 Stochastic Characterization of dFC . . . 37
3.3 Results . . . 38
3.3.1 Distinct Temporal Stability of ToM and Pain Network in 3-12 years age . . . 38
3.3.2 Association between Performance in false belief task and Temporal Stability of DFC 41
3.4 Discussion . . . 57
3.4.1 Stochastic properties of dynamic functional connectivity and age effects in children . 58
3.4.2 Aging introduces temporal variability in the evolution of dynamic functional connectivity ToM and Pain functional brain networks during movie watching . . . 59
3.4.3 Association between performance on false belief tasks in children and Temporal Stability of DFC in ToM functional brain networks . . . 59
3.5 Summary . . . 60

Chapter 4: Explainable Deep-Learning Framework: Decoding Brain States and Predicting Performance in False-Belief Tasks Across Developmental Age-Group 61
4.1 Introduction . . . 61
4.2 Material and methods . . . 63
4.2.1 Participants and fMRI Preprocessing . . . 63
4.2.2 fMRI Data Analysis and Extraction of Feature Sets . . . 65
4.2.3 Decoding of States using Explainable Spatiotemporal Connectivity based Graph Convolutional Neural Network . . . 66
4.2.4 Prediction of Individual Performance in False-belief Task using Explainable Convolutional Variational Autoencoder Model . . . 70
4.3 Results . . . 76
4.3.1 Computation of FC and ISFC Matrices . . . 76
4.3.2 Decoding of cognitive states using Ex-stGCNN model . . . 76
4.3.3 Prediction of Individual Performance on False-belief tasks . . . 77
4.4 Discussion . . . 84
4.4.1 Decoding of Cognitive states using stGCNN Model . . . 85
4.4.2 Feature identification and brain fingerprinting using Ex-stGCNN . . . 86
4.4.3 Prediction of Individual Performance in False-Belief Taks . . . 86
4.4.4 Limitations and future Scope . . . 87
4.5 Summary . . . 88

Chapter 5: Identifying Functional Variations in Theory of Mind Brain Networks between Autism and Typically Developing Individuals using Contrastive Machine Learning and Explainable DNN Model 89
5.1 Introduction . . . 89
5.2 Material and methods . . . 91
5.2.1 Participants and MRI Preprocessing . . . 91
5.2.2 Resting-State Functional Connectivity . . . 92
5.2.3 Identification of Shared and Specific Variability . . . 93
5.2.4 Classification Using Explainable Artificial Neural Networks (Ex-ANN) Model . . . 95
5.2.5 Identification of neurobiological features underlying classification . . . 98
5.3 Results . . . 99
5.3.1 Calculation of resting state-Functional Connectivity Matrices . . . 99
5.3.2 Identification of Shared And ASD-Specific Features or Source of Variability . . . 100
5.3.3 Classification of ASD and TD Individuals using Ex-ANN Model . . . 100
5.4 Discussion . . . 106
5.5 Summary . . . 108

Chapter 6: A Lightweight, End-to-End Explainable, and Generalized DNN Framework to Classify Autistics from Neuro-Typicals 109
6.1 Introduction . . . 109
6.2 Materials and Method . . . 111
6.2.1 fMRI Dataset and Preprocessing . . . 111
6.2.2 Proposed Method for Calculation of Meta-Connectivity . . . 113
6.2.3 Node-Edge Connectivity Based Graph Attention Network for Classification . . . 114
6.2.4 Symptom-Severity score prediction for ASD Samples . . . 117
6.3 Results . . . 118
6.3.1 Computation of Meta-Connectivity Matrices . . . 118
6.3.2 Classification of ASD and TD Individuals using Proposed Ex-NEGAT Model . . . 118
6.3.3 Prediction of Symptom Severity Score . . . 121
6.4 Discussion . . . 123
6.4.1 Advantages of using meta-connectivity feature to discover new ASD biomarkers . . . 123
6.4.2 Advantages of using MC matrix and attention-based GNN . . . 125
6.4.3 Predicting symptom severity in ASD using MC matrices and identifying relevant ROIs 126

Chapter 7: Identification of Sub-Groups within ASD samples using Rough Fuzzy C-Means Clustering Approach 127

7.1 Introduction . . . 127
7.2 Methods and Materials . . . 129
7.2.1 fMRI Dataset and Preprocessing . . . 129
7.2.2 Calculation of Meta-Connectivity Feature-set . . . 133
7.2.3 Identification of ASD Sub-groups using Rough Fuzzy C-Means Algorithm . . . 134
7.3 Results . . . 137
7.3.1 Computation of Meta-Connectivity Matrices . . . 137
7.3.2 Identification of ASD Sub-Groups using RFCM . . . 138
7.3.3 Association between Identified Clusters and Behavioral Scores . . . 142
7.4 Discussion . . . 142
7.4.1 Analysis of Each Cluster . . . 143
7.4.2 Association between Identified Clusters and Behavioral Scores . . . 143
7.5 Summary . . . 144

Chapter 8: Conclusions 145
8.1 Conclusion . . . 145
8.2 Future Work . . . 147

Bibliography 149